

## Chemical Safety Data Sheet MSDS / SDS

## Cresol

Revision Date:2026-05-30 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Cresol  
CBnumber : CB5853043  
CAS : 1319-77-3  
EINECS Number : 215-293-2  
Synonyms : Cresol, Cresylic Acid

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P202 Do not handle until all safety precautions have been read and understood.

## Hazard statements

H412 Harmful to aquatic life with long lasting effects

H341 Suspected of causing genetic defects

H314 Causes severe skin burns and eye damage

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: Cresol
Synonyms	: Cresol, Cresylic Acid
CAS	: 1319-77-3
EC number	: 215-293-2
MF	: C7H8O
MW	: 108.14

---

## SECTION 4: First aid measures

### General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

After contact with skin: rinse out with polyethylene glycol 400 or a mixture of polyethylene glycol 300/ethanol 2:1 and wash with plenty of water. If neither is available wash with plenty of water. Immediately take off contaminated clothing. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Specific hazards during fire fighting

Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

### Hazardous combustion products

Carbon oxides


### Specific extinguishing methods

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### NFPA 704



HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

FIRE 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

SPEC.

HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency

responders: For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

---

## **SECTION 7: Handling and storage**

### **Handling**

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Avoidance of contact**

Strong oxidizing agents

### **Storage**

#### **Further information on storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

#### **Storage class**

6.1A, Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### **Recommended storage**

Recommended storage temperature see product label. temperature

#### **Further information on storage stability**

Light sensitive. Air sensitive.

---

## **SECTION 8: Exposure controls/personal protection**

### **Ingredients with workplace control parameters**

Biological occupational exposure limits

### **Engineering measures**

No data available

### **Personal protective equipment**

#### **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Recommended Filter type**

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the

instructions of the producer. These measures have to be properly documented.

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

#### **Skin and body protection**

protective clothing

#### **Hand protection**

##### **Material**

Chloroprene

##### **Break through time**

480 min

##### **Glove thickness**

0.6 mm

##### **Protective index**

Full contact

##### **Manufacturer**

Camapren® (KCL 722 / Aldrich Z677493, Size M)

##### **Material**

Nitrile rubber

##### **Break through time**

30 min

##### **Glove thickness**

0.2 mm

##### **Protective index**

Splash contact

##### **Manufacturer**

P (KCL 743 / Aldrich Z677388, Size M)

##### **Manufacturer**

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

#### **Remarks**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

liquid

---

**Color**

Colorless to Almost colorless

**Odor**

Sweet, tarry.

**Odor Threshold**

No data available

**pH**

No data available

**Melting point/ range**

No data available

**Boiling point/boiling range**

192 - 201 °C

**Flash point**

80 °C

Method: closed cup

**Evaporation rate**

No data available

**Flammability (solid, gas)**

No data available

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Upper explosion limit / Upper flammability limit**

No data available

**Lower explosion limit / Lower flammability limit**

No data available

**Vapor pressure**

No data available

**Relative vapor density**

No data available

**Relative density**

1.04

**Density**

1.042 g/cm<sup>3</sup>

**Water solubility**

1.932 g/100 mL

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

No data available

**Decomposition temperature**

No data available

**Viscosity, dynamic**

No data available

**Viscosity, kinematic**

No data available

**Flow time**

No data available

**Explosive properties**

Not classified as explosive.

**Oxidizing properties**

none

**Particle characteristics Particle size**

No data available

**Physical state**

clear liquid

**Dielectric constant**

9.0 (Ambient)

---

SECTION 10: Stability and reactivity

## Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## Possibility of hazardous reactions

No data available

## Conditions to avoid

Air Strong heating.

## Incompatible materials

Strong oxidizing agents

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Mixture Acute toxicity

Acute toxicity estimate Oral - 100.01 mg/kg (Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - 7.29 mg/l - dust/mist(Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute toxicity estimate Dermal - 311.91 mg/kg (Calculation method)

### Skin corrosion/irritation

Remarks: Mixture causes burns.

### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

### Germ cell mutagenicity

Evidence of genetic defects.

### Carcinogenicity

Classified based on available data. For more details, see section 2

### Reproductive toxicity

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

### **11.2 Additional Information**

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache,

Nausea

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

#### **Components Cresol**

##### **Acute toxicity**

Oral: No data available

Inhalation: No data available

LD50 Dermal - 300 mg/kg

##### **Skin corrosion/irritation**

Remarks: No data available

##### **Serious eye damage/eye irritation**

Remarks: No data available

##### **Respiratory or skin sensitization**

Classified based on available data. For more details, see section 2

##### **Germ cell mutagenicity**

Classified based on available data. For more details, see section 2

##### **Carcinogenicity**

Classified based on available data. For more details, see section 2

##### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

##### **Specific target organ toxicity - single exposure**

Classified based on available data. For more details, see section 2

##### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

#### **Phenol**

##### **Acute toxicity**

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Inhalation - 4 h - 0.51 mg/l - dust/mist (Expert judgement)

Symptoms: Irritation, Lung oedema

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Dermal - Rat - female - 660 mg/kg (OECD Test Guideline 402)

##### **Skin corrosion/irritation**

Skin - In vitro study

Result: Causes burns.

(OECD Test Guideline 431)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Corrosive (OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Risk of blindness!

#### **Respiratory or skin sensitization**

Sensitisation test: - Guinea pig

Result: negative

Remarks: (IUCLID)

#### **Germ cell mutagenicity**

Suspected of causing genetic defects.

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: positive

Test Type: Mutagenicity (mammal cell test): micronucleus.

Test system: Chinese hamster ovary cells

Result: positive

#### **Carcinogenicity**

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

#### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - single exposure**

Acute inhalation toxicity - Irritation, Lung oedema

#### **Specific target organ toxicity - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

- Nervous system, Kidney, Liver, Skin

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

---

## SECTION 12: Ecological information

### **Ecotoxicity**

#### **Components:**

#### **Phenol:**

#### **Toxicity to fish**

LC50 (Onchorhynchus clarki): 8.9 mg/l Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: US-EPA

#### **Toxicity to daphnia and other aquatic invertebrates**

EC50 (Ceriodaphnia dubia (water flea)): 3.1 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: US-EPA

#### **Toxicity to algae/aquatic plants**

EC50 (Pseudokirchneriella subcapitata (algae)): 61.1 mg/l Exposure time: 96 h Test Type: static test Method: US-EPA

#### **Toxicity to fish (Chronic toxicity)**

NOEC (Fish): 0.077 mg/l Exposure time: 60 d Test Type: semi-static test Remarks: (ECHA)

#### **Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)**

NOEC (Daphnia magna (Water flea)): 0.16 mg/l End point: Growth inhibition Exposure time: 16 d Test Type: semi-static test Remarks: (ECHA)

#### **Toxicity to microorganisms**

IC50 (microorganisms): 21 mg/l Exposure time: 24 h Test Type: static test Remarks: (ECHA)

### **Persistence and degradability**

#### **Components:**

##### **Phenol:**

##### **Biodegradability**

aerobic Inoculum: activated sludge Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: 62 % Exposure time: 100 h

Method: OECD Test Guideline 301C

##### **Bioaccumulative potential**

#### **Components:**

##### **Cresol:**

##### **Partition coefficient: noctanol/water**

log Pow: 2.33 Method: OECD Test Guideline 117

##### **Phenol:**

##### **Bioaccumulation**

Species: Danio rerio (zebra fish) Bioconcentration factor (BCF): 17.5 Exposure time: 5 h Temperature: 25 °C Concentration: 2 mg/l Method:

OECD Test Guideline 305 Remarks: Does not bioaccumulate.

##### **Partition coefficient: noctanol/water**

log Pow: 1.47 (30 °C) pH: 3 - 8 Remarks: (ECHA) Bioaccumulation is not expected.

#### **Mobility in soil**

#### **Components:**

##### **Cresol:**

##### **Stability in soil**

Remarks: No data available

#### **Other adverse effects**

#### **Components:**

**Phenol:****Results of PBT and vPvB assessment**

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

---

## SECTION 13: Disposal considerations

**Disposal methods****Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

**International Regulations****IATA-DGR**

UN/ID No. : UN 2076

Proper shipping name : Cresols, liquid

Class : 6.1

Subsidiary risk : 8

Packing group : II

Labels : Division 6.1 - Toxic substances, Class 8 - Corrosive substances

Packing instruction (cargo aircraft) : 660

Packing instruction (passenger aircraft) : 653

**IMDG-Code**

UN number : UN 2076

Proper shipping name : CRESOLS, LIQUID

Class : 6.1

Subsidiary risk : 8

Packing group : II

Labels : 6.1 (8)

EmS Code : F-A, S-B

Marine pollutant : no

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****JT/T 617**

UN number : UN 2076

Proper shipping name : CRESOLS, LIQUID

Class : 6.1

Subsidiary risk : 8

Packing group : II

Labels : 6.1 (8)

Environmentally hazardous : no

### **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## **SECTION 15: Regulatory information**

### **National regulatory information**

#### **Law on the Prevention and Control of Occupational Diseases**

#### **Regulations on Safety Management of Hazardous Chemicals**

#### **Catalogue of Hazardous Chemicals**

Listed

#### **Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)**

Not listed

#### **Hazardous Chemicals for Priority Management**

Listed under SAWS

#### **Catalogue of Specially Controlled Hazardous**

Not listed Chemicals

#### **List of Explosive Precursors**

Not listed

#### **Regulations on Labour Protection in Workplaces where Toxic Substances are Used**

#### **Catalogue of Highly Toxic Chemicals**

Not listed

#### **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

#### **China Severely Restricted Toxic Chemicals for Import and Export**

Not listed

#### **Regulation on the Administration of Precursor Chemicals**

## Catalogue and Classification of Precursor Chemicals

Not listed

## Regulations on the Administration of Controlled Chemicals

### List of Controlled Chemicals

Not listed

## Regulations of Ozone Depleting Substances Management

### List of Controlled Ozone Depleting Substances

Not listed

### List of Controlled Ozone Depleting Substances Import and Export

Not listed

## Environmental Protection Law

### List of Priority Controlled Chemicals

Not listed

### List of Key Controlled New Pollutants

Not listed

---

## SECTION 16: Other information

### Full text of other abbreviations

#### ACGIH

USA. ACGIH Threshold Limit Values (TLV)

#### ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

#### CN BEI

China. Biological Occupational Exposure Indices

#### GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

#### ACGIH / TWA

8-hour, time-weighted average

GBZ 2.1-2007 / PC-TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x% respo Chemical Substances (Jap response); ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; MERC of Dangerous Goods; n.o. - No Observed (Adverse) fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organisatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation,

## Accelerating Decomposition of Chemical Substances in Thailand Existing Chemical States); UN - United Nations Transport of Dangerous

### WHMIS - Workplace Hazard

Permissible concentration - time weighted average of Industrial Chemicals

ANTT - National Agency for Environment

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN Institute for Standardisation

DSL - Domestic Substances Notification associated with x% response

ELx - Loading rate

EmS - Emergency Schedule

ENCS - Existing and New Chemicals

ErCx - Concentration associated with x% growth rate of Response Guide

GHS - Globally Harmonised System

Practice

IARC - International Agency for Research on Cancer Transport Association

IBC - International Code for the Construction of Ships carrying Dangerous Chemicals in Bulk

IC50 concentration

ICAO - International Civil Aviation Organization - Existing Chemical Substances in China

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organisation

ISHL - International Law (Japan)

ISO - International Organisation for Standardisation Existing Chemicals Inventory

LC50 - Lethal Concentration

LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pollution from Ships - SUR - The Agreement for the

Facilitation of the Transport of Dangerous Goods - Not Otherwise Specified

NCh - Chilean Norm

NO(A)EC - No Observed (Adverse) Effect Concentration

NO(A)EL - No Observed (Adverse) Effect Loading Rate

NOM - Official Mexican Nomenclature Program

NZIoC - New Zealand Inventory of Chemicals for Economic Co-operation and Development

OPPTS - Office of Pollution Prevention and Control

PBT - Persistent, Bioaccumulative and Toxic - Philippines Inventory of Chemicals and Chemical Substances) Structure Activity Relationship

REACH - Regulation of the European Parliament and of the Council concerning the Restriction of Chemicals

SADT - Self-Heating Temperature

SDS - Safety Data Sheet

TCSI - Taiwan Chemical Safety Inventory

TDG - Transportation of Dangerous Goods

TECI - Toxic Chemicals Inventory

TSCA - Toxic Substances Control Act (United States)

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

Global Harmonized System

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.