

## Chemical Safety Data Sheet MSDS / SDS

**(3-Ethyl-naphthalen-1-yl)(1-pentyl-1H-indol-3-yl)methanone**

Revision Date:2026-05-31 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : (3-Ethyl-naphthalen-1-yl)(1-pentyl-1H-indol-3-yl)methanone  
CBnumber : CB73323705  
CAS : 1547339-60-5  
Synonyms : Methanone, (3-ethyl-1-naphthalenyl)(1-pentyl-1h-indol-3-yl)-

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word Danger

**Precautionary statements**

P501 Dispose of contents/container to.....  
P405 Store locked up.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P370+P378 In case of fire: Use ... for extinction.  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
P307+P311 IF exposed: call a POISON CENTER or doctor/physician.  
P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.  
P330 Rinse mouth.  
P321 Specific treatment (see ... on this label).

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thoroughly after handling.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P243 Take precautionary measures against static discharge.

P242 Use only non-sparking tools.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P240 Ground/bond container and receiving equipment.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

#### **Hazard statements**

H370 Causes damage to organs

H225 Highly Flammable liquid and vapour

---

## SECTION 3: Composition/information on ingredients

### **Substance**

|              |                                                                |
|--------------|----------------------------------------------------------------|
| Product name | : (3-Ethyl-naphthalen-1-yl)(1-pentyl-1H-indol-3-yl)methanone   |
| Synonyms     | : Methanone, (3-ethyl-1-naphthalenyl)(1-pentyl-1h-indol-3-yl)- |
| CAS          | : 1547339-60-5                                                 |
| MF           | : C <sub>26</sub> H <sub>27</sub> NO                           |
| MW           | : 369.5                                                        |

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General information**

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### **After inhalation**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### **After skin contact**

Immediately wash with water and soap and rinse thoroughly.

#### **After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

### After swallowing

Do not induce vomiting; immediately call for medical help.

### Most important symptoms and effects, both acute and delayed

No further relevant information available.

### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing agents

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### Special hazards arising from the substance or mixture


67-56-1 During heating or in case of fire poisonous gases are produced.

#### Advice for firefighters

#### Protective equipment

Mouth respiratory protective device.

#### NFPA 704



|          |   |                                                                                                                                                                                                                                                                                                                                                             |
|----------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ■ HEALTH | 0 | Poses no health hazard, no precautions necessary and would offer no hazard beyond that of ordinary combustible materials                                                                                                                                                                                                                                    |
| ■ FIRE   | 3 | Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <a href="#">acetone</a> ) |
| ■ REACT  | 0 | Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <a href="#">N<sub>2</sub></a> )                                                                                                                                                                                                                          |
| □ SPEC.  |   |                                                                                                                                                                                                                                                                                                                                                             |
| □ HAZ.   |   |                                                                                                                                                                                                                                                                                                                                                             |

---

## SECTION 6: Accidental release measures

## **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

## **Environmental precautions**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

## **Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

## **Protective Action Criteria for Chemicals**

### **PAC-1**

67-56-1 Methanol 530 ppm

### **PAC-2**

67-56-1 Methanol 2100 ppm

### **PAC-3**

67-56-1 Methanol 7200 ppm

## **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

# **SECTION 7: Handling and storage**

## **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

## **Information about protection against explosions and fires**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

## **Conditions for safe storage, including any incompatibilities**

### **Storage**

Store in accordance with information listed on the product insert.

### Requirements to be met by storerooms and receptacles

Store in a cool location.

### Information about storage in one common storage facility

Not required.

### Further information about storage conditions

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

### Specific end use(s)

No further relevant information available.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

Components with limit values that require monitoring at the workplace:

| 67-56-1 Methanol |                                                   |
|------------------|---------------------------------------------------|
| PEL              | Long-term value: 260 mg/m <sup>3</sup> , 200 ppm  |
|                  | Short-term value: 325 mg/m <sup>3</sup> , 250 ppm |
| REL              | Long-term value: 260 mg/m <sup>3</sup> , 200 ppm  |
|                  | Skin                                              |
| TLV              | Short-term value: 328 mg/m <sup>3</sup> , 250 ppm |
|                  | Long-term value: 262 mg/m <sup>3</sup> , 200 ppm  |
|                  | Skin; BEI                                         |

| Ingredients with biological limit values: |                                               |
|-------------------------------------------|-----------------------------------------------|
| 67-56-1 Methanol                          |                                               |
|                                           | 15 mg/L                                       |
| BEI                                       | Medium: urine                                 |
|                                           | Time: end of shift                            |
|                                           | Parameter: Methanol (background, nonspecific) |

### Additional information

The lists that were valid during the creation were used as basis.

### Exposure controls

#### Appropriate engineering controls

No further data; see section 7.

#### Personal protective equipment

## General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

## Breathing equipment

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

## Protection of hands

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## Eye protection

Tightly sealed goggles

---

# SECTION 9: Physical and chemical properties

## Information on basic physicochemical properties

### Physical State

Liquid

### Color

According to product specification

### Odor

Alcohol-like

### Structural Formula

C<sub>26</sub>H<sub>27</sub>NO

**Molecular Weight**

369.5 g/mol

**Storage Buffer****Odor Threshold**

Not determined.

**Formulation**

A solution in methanol

**Melting point/Melting range**

-98 °C (-144.4 °F)

**Boiling point/Boiling range**

64.7 °C (148.5 °F)

**Flammability**

Highly flammable.

**Explosion limits**

Lower: 5.5 Vol %

Upper: 44 Vol %

**Flash point**

11 °C (51.8 °F)

**Auto igniting**

455 °C (851 °F)

**Decomposition temperature**

Not determined.

**pH**

Not determined.

**Viscosity****Kinematic**

Not determined.

**SOLUBILITY**

DMF: 50 mg/ml; DMSO: 20 mg/ml; Ethanol: 0.5 mg/ ml

**Dynamic**

Not determined.

**Solubility in / Miscibility with**

DMF: 50 mg/ml; DMSO: 20 mg/ml; Ethanol: 0.5 mg/ml

**Water at 20 °C (68 °F)**

1000 g/l

**Partition coefficient (n-octanol/water)**

Not determined.

**Vapor Pressure at 20 °C (68 °F)**

128 hPa (96 mm Hg)

**Density at 20 °C (68 °F)**

0.79 g/cm<sup>3</sup> (6.59255 lbs/gal)

**Relative Density**

1.07±0.1 g/cm<sup>3</sup>(Predicted)

**Vapor Density**

Not determined.

**Particle characteristics**

Not applicable.

**Other information****Appearance****Form**

Liquid

**Important information on protection of health and environment, and on safety.****Ignition temperature**

Product is not selfigniting.

**Danger of explosion**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

**Organic solvents**

99.0 %

**VOC content**

99.00 % 990.0 g/l / 8.26 lb/gal

**Solids content**

0.0 %

### Change in condition

### Evaporation Rate

Not determined.

---

## SECTION 10: Stability and reactivity

### Reactivity

No further relevant information available.

### Chemical stability

### Thermal decomposition / conditions to be avoided

No decomposition if used according to specifications.

### Possibility of hazardous reactions

No dangerous reactions known.

### Conditions to avoid

No further relevant information available.

### Incompatible materials

acids; acid anhydrides; acid chlorides; oxidizing agents; reducing agents

### Hazardous decomposition products

carbon dioxide; carbon monoxide

---

## SECTION 11: Toxicological information

### Information on toxicological effects

### Acute toxicity

LD/LC50 values that are relevant for classification:

| Substance / Estimate          | Route      | Endpoint | Value                                                                                                              |
|-------------------------------|------------|----------|--------------------------------------------------------------------------------------------------------------------|
| ATE (Acute Toxicity Estimate) | Oral       | LD50     | 101 mg/kg (rat)                                                                                                    |
| ATE (Acute Toxicity Estimate) | Dermal     | LD50     | 303 mg/kg (rabbit)                                                                                                 |
| ATE (Acute Toxicity Estimate) | Inhalative | LC50/4 h | 3.13 mg/l (rat)                                                                                                    |
| 67-56-1 Methanol              | Oral       | LD50     | 100.1 mg/kg (rat) (Expert judgment)                                                                                |
|                               |            |          | Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)<br>Symptoms: Nausea, Vomiting |
| 67-56-1 Methanol              | Dermal     | LD50     | 300.1 mg/kg (rabbit) (Expert judgment)                                                                             |

|                  |            |          |                                                                                      |
|------------------|------------|----------|--------------------------------------------------------------------------------------|
|                  |            |          | Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) |
| 67-56-1 Methanol | Inhalative | LC50/4 h | 3.1 mg/l (rat) (Expert judgment)                                                     |
|                  |            |          | Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) |
|                  |            |          | Symptoms: Irritation symptoms in the respiratory tract.                              |

### Primary irritant effect

#### on the skin

No irritant effect.

#### on the eye

No irritating effect.

### Sensitization

No sensitizing effects known.

### Additional toxicological information

The product shows the following dangers according to internally approved calculation methods for preparations

Toxic

### Interactive effects

No interactive effects between components are known.

### Carcinogenic categories

#### IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### NTP (National Toxicology Program)

None of the ingredients is listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

## SECTION 12: Ecological information

### Toxicity

#### Aquatic toxicity

No further relevant information available.

#### Persistence and degradability

No further relevant information available.

#### **Bioaccumulative potential**

No further relevant information available.

#### **Mobility in soil**

No further relevant information available.

#### **Results of PBT and vPvB assessment**

##### **PBT**

Not applicable.

##### **vPvB**

Not applicable.

##### **PBT:**

Not applicable.

##### **vPvB:**

Not applicable.

#### **Other adverse effects**

#### **Additional ecological information**

##### **General notes**

Water hazard class 2 (Self-assessment) hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

---

## SECTION 13: Disposal considerations

#### **Waste treatment methods**

##### **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### **Uncleaned packagings**

##### **Recommendation**

Disposal must be made according to official regulations.

#### **Recommended cleansing agent**

Water, if necessary with cleansing agents.

---

## SECTION 14: Transport information

### UN-Number

DOT, IMDG, IATA UN1230

### UN proper shipping name

DOT, IATA Methanol

IMDG METHANOL

### Transport hazard class(es)

#### DOT

Class: 3 Flammable liquids

Label: 3, 6.1

#### IMDG

Class: 3 Flammable liquids

Label: 3/6.1

#### IATA

Class: 3 Flammable liquids

Label: 3 (6.1)

### Packing group

DOT, IMDG, IATA II

### Environmental hazards

Not applicable.

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

### Transport/Additional information

#### DOT:

#### Quantity limitations

On passenger aircraft/rail: 1 L

On cargo aircraft only: 60 L

#### IMDG:

#### Limited quantities (LQ)

1L

#### Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

#### IATA:

#### Remarks

When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10.  
Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

#### Special precautions for user

Warning: Flammable liquids

#### Hazard identification number (Kemler code)

336

#### EMS Number

F-E, S-D

#### Stowage Category

B

#### Stowage Code

SW2 Clear of living quarters.

#### UN "Model Regulation"

UN 1230 METHANOL, 3 (6.1), II

---

## SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

#### Sara

|                                                             |                                    |
|-------------------------------------------------------------|------------------------------------|
| Section 355 (extremely hazardous substances):               | None of the ingredients is listed. |
| Section 313 (Specific toxic chemical listings):             | 67-56-1 Methanol                   |
| TSCA (Toxic Substances Control Act):                        | 67-56-1 Methanol ACTIVE            |
| Hazardous Air Pollutants 67-56-1 Methanol                   |                                    |
| Chemicals known to cause cancer:                            | None of the ingredients is listed. |
| Chemicals known to cause reproductive toxicity for females: | None of the ingredients is listed. |
| Chemicals known to cause reproductive toxicity for males:   | None of the ingredients is listed. |
| Chemicals known to cause developmental toxicity:            | 67-56-1 Methanol                   |

## Carcinogenic categories

|                                        |                                    |
|----------------------------------------|------------------------------------|
| EPA (Environmental Protection Agency): | None of the ingredients is listed. |
|----------------------------------------|------------------------------------|

## TLV (Threshold Limit Value)

None of the ingredients is listed.

## NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

## Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

# SECTION 16: Other information

## Abbreviations and acronyms

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable liquids 2: Flammable liquids – Category 2

Acute toxicity - oral 3: Acute toxicity – Category 3

Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) – Category 1

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.