

## Chemical Safety Data Sheet MSDS / SDS

**2-Hydroxyethyl methacrylate**Revision Date:2026-05-31 Revision Number:1

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : 2-Hydroxyethyl methacrylate  
CBnumber : CB4690827  
CAS : 868-77-9  
EINECS Number : 212-782-2  
Synonyms : hema,GMA

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

---

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.  
P321 Specific treatment (see ... on this label).  
P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.  
P337+P313 IF eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to.....

#### **Hazard statements**

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name : 2-Hydroxyethyl methacrylate

Synonyms : hema,GMA

CAS : 868-77-9

EC number : 212-782-2

MF : C6H10O3

MW : 130.14

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

### **Extinguishing media**

#### **Suitable extinguishing media**

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

REACT 1 Normally stable, but can become unstable at elevated temperatures and pressures (e.g. [propene](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

## Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb? ). Dispose of properly. Clean up affected area.

## Reference to other sections

For disposal see section 13.

---

# SECTION 7: Handling and storage

## Precautions for safe handling

For precautions see section 2.2.

## Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed.

## Storage stability

Recommended storage temperature 2 - 8 °C

## Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# SECTION 8: Exposure controls/personal protection

## control parameter

## Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

## Exposure controls

## Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Chloroprene

Minimum layer thickness: 0,65 mm Break through time: 480 min Material tested:KCL 720 Camapren?

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving

in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact Material: Latex gloves

Minimum layer thickness: 0,6 mm Break through time: 10 min

Material tested: Lapren? (KCL 706 / Aldrich Z677558, Size M)

#### Body Protection

protective clothing

#### Respiratory protection

Recommended Filter type: Filter A-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	colorless clear, liquid
Odour	ester-like
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: -12 °C - lit.
Initial boiling point and boiling range	67 °C at 4,7 hPa - lit.
Flash point	106 °C - closed cup - ASTM D 93
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	0,08 hPa at 20 °C - OECD Test Guideline 104
Vapour density	5 (vs air)
Relative density	1,073 g/mL at 25 °C - lit.
Water solubility	100 g/l at 20 °C
Partition coefficient: n-octanol/water	log Pow: 0,42 at 25 °C - OECD Test Guideline 107
Autoignition temperature	375 °C at 1.024 hPa
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: 6,36 mm <sup>2</sup> /s at 20 °C 3,42 mm <sup>2</sup> /s at 40 °C Viscosity, dynamic: 9 mPa.s at 20 °C
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Violent reactions possible with:

Amines

peroxi compounds polymerisation initiators

### Conditions to avoid

Exposure to moisture. Heat. Light. Strong heating.

### Incompatible materials

No data available

### Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 5.564 mg/kg LD50 Dermal - Rabbit - male - > 5.000 mg/kg

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes. (Draize Test)

#### Respiratory or skin sensitization

in vivo assay - Guinea pig

Result: May cause sensitization by skin contact. (Maximization Test)

#### Germ cell mutagenicity

In vitro mammalian cell gene mutation test Chinese hamster ovary cells

Result: negative

OECD Test Guideline 474 Rat - male

Result: negative

#### **Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

##### **Specific target organ toxicity - single exposure**

No data available

##### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### **Toxicity**

LD50 orally in Rabbit: 5050 mg/kg LD50 dermal Rabbit > 3000 mg/kg

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

semi-static test LC50 - *Oryzias latipes* - > 100 mg/l - 96 h

#### **Toxicity to daphnia and other aquatic invertebrates**

(OECD Test Guideline 203)

Immobilization EC50 - *Daphnia magna* (Water flea) - 380 mg/l - 48 h

(OECD Test Guideline 202)

#### **Toxicity to algae**

Growth inhibition EC50 - *Selenastrum capricornutum* (green algae) - 836 mg/l - 72 h

(OECD Test Guideline 201)

### **Persistence and degradability**

Biodegradability aerobic - Exposure time 14 d

Result: 92 - 100 % - Readily biodegradable. (OECD Test Guideline 301C)

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Toxics Screening Level**

The ITSL can be determined from the mouse LD50 from Tani and Hashimoto using the equation from R232(1)(h) as follows.

ITSL = (5887 mg/kg)/( 500x 40 x 100 x 0.167) x 1kg/1.7m<sup>3</sup> = 10 µg/m<sup>3</sup> annual average.

The default mouse inhalation rate of 1.7 m<sup>3</sup>/kg was used in the above calculation.

### **Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

### **Waste treatment methods**

#### **Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### **UN number**

ADR/RID: - IMDG: - IATA: -

### **UN proper shipping name**

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

### **Transport hazard class(es)**

ADR/RID: - IMDG: - IATA: -

### **Packaging group**

ADR/RID: - IMDG: - IATA: -

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### **Special precautions for user**

### **Further information**

Not classified as dangerous in the meaning of transport regulations.

---

## SECTION 15: Regulatory information

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Not Listed. website: <https://www.mem.gov.cn/>

#### **Measures for Environmental Management of New Chemical Substances**

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

### References

【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### Other Information

Boiling Point cannot be experimentally determined: at 1013 hPa polymerization occurs at elevated temperatures, other boiling point: 67 C at 4.6 hPa.Methacrylates are normally stabilized by addition of phenolic inhibitors during transport and storage.An added stabilizer or inhibitor can influence the toxicological properties of this substance; consult an expert.May cause cross sensitization towards other acrylates.

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the

appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.