

# Chemical Safety Data Sheet MSDS / SDS

## 3,4-DIFLUOROPHENYLMAGNESIUM BROMIDE

Revision Date:2026-05-31 Revision Number:1

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product name : 3,4-DIFLUOROPHENYLMAGNESIUM BROMIDE  
CBnumber : CB3387263  
CAS : 90897-92-0  
Synonyms : 3,4-difluorophenylmagnesium bromide

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

#### Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

---

### SECTION 2: Hazards identification

#### GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

#### Precautionary statements

P403+P235 Store in a well-ventilated place. Keep cool.

P370+P378 In case of fire: Use ... for extinction.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P405 Store locked up.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

#### Hazard statements

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage

H351 Suspected of causing cancer  
H335 May cause respiratory irritation  
H319 Causes serious eye irritation  
H302 Harmful if swallowed  
H225 Highly Flammable liquid and vapour

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name : 3,4-DIFLUOROPHENYLMAGNESIUM BROMIDE  
Synonyms : 3,4-difluorophenylmagnesium bromide  
CAS : 90897-92-0  
MF : C<sub>6</sub>H<sub>3</sub>BrF<sub>2</sub>Mg  
MW : 217.29

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen bromide gas

Hydrogen fluoride

Magnesium oxide


## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

## NFPA 704



■ HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. <a href="#">liquid hydrogen</a> , <a href="#">sulfuric acid</a> , <a href="#">calcium hypochlorite</a> , hexafluorosilicic acid)
■ FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <a href="#">acetone</a> )
■ REACT	2	Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, <a href="#">potassium</a> , <a href="#">sodium</a> )
□ SPEC. HAZ.	W	

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet- brushing and place in container for disposal

according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

---

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### Storage stability Recommended storage temperature

2 - 8 °C

Handle and store under inert gas. Air sensitive. Dry residue is explosive. Dry residue is explosive. Store under inert gas. Test for peroxide formation periodically and before distillation.

### Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### Ingredients with workplace control parameters

## 8.2 Exposure controls

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

#### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

a) Physical state	liquid
b) Color	Yellow to dark brown
c) Odor	No data available
d) Melting point/freezing point	No data available
e) Initial boiling point and boiling range	65 °C at 1.013 hPa
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	-17,2 °C - closed cup
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	Reacts with water.
n) Partition coefficient n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	0,965 g/cm <sup>3</sup>
Relative density	0.965 g/mL at 25 °C
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	none

### 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Oxidizing agents, Oxygen

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

#### Skin corrosion/irritation

Classified based on available data. For more details, see section 2

#### Serious eye damage/eye irritation

Classified based on available data. For more details, see section 2

#### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

#### Germ cell mutagenicity

Classified based on available data. For more details, see section 2

#### Carcinogenicity

Classified based on available data. For more details, see section 2

#### Reproductive toxicity

Classified based on available data. For more details, see section 2

#### Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

### **Aspiration hazard**

Classified based on available data. For more details, see section 2

## **11.2 Additional Information**

### **Endocrine disrupting properties**

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **Components Tetrahydrofuran**

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 1.650 mg/kg

Remarks: (ECHA)

Symptoms: Irritation of mucous membranes

Acute toxicity estimate Oral - 1.650 mg/kg (ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 6 h - > 14,7 mg/l - vapor (US-EPA)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation - 72 h (Draize Test)

Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes serious eye irritation.

Remarks: (IUCLID)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

#### **Germ cell mutagenicity**

Test Type: Ames test

Test system: *S. typhimurium*

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: negative

#### **Carcinogenicity**

Suspected of causing cancer.

#### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause drowsiness or dizziness.

Acute oral toxicity - Irritation of mucous membranes

#### **Specific target organ toxicity - repeated exposure Aspiration hazard**

Classified based on available data. For more details, see section 2

---

## SECTION 12: Ecological information

### **12.1 Toxicity**

#### **Mixture**

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **12.6 Endocrine disrupting properties**

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **12.7 Other adverse effects**

No data available

#### **Components Tetrahydrofuran**

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 2.160 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 3.485 mg/l - and other aquatic 48 h invertebrates (OECD Test Guideline 202)

Toxicity to flow-through test NOEC - Pimephales promelas (fathead fish(Chronic toxicity) minnow) - 216 mg/l - 33 d

Remarks: (ECHA)

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 2924

IMDG: 2924

IATA: 2924

### 14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (3,4-Difluorophenylmagnesium bromide, Tetrahydrofuran) (3,4-

Difluorophenylmagnesium bromide,

Tetrahydrofuran)

IMDG: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (3,4-Difluorophenylmagnesium bromide, Tetrahydrofuran) (3,4-Difluorophenylmagnesium bromide,

Tetrahydrofuran)

IATA: Flammable liquid, corrosive, n.o.s. (3,4-Difluorophenylmagnesium bromide,

Tetrahydrofuran) (3,4-Difluorophenylmagnesium bromide, Tetrahydrofuran)

### 14.3 Transport hazard class(es)

ADR/RID: 3 (8)

IMDG: 3 (8)

IATA: 3 (8)

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

#### **14.6 Special precautions for user**

Tunnel restriction code : (D/E)

Further information : No data available

---

## **SECTION 15: Regulatory information**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use National legislation

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS

European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

## **SECTION 16: Other information**

### **Full text of other abbreviations**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road

AIC - Australian Inventory of Industrial Chemicals

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN - Standard of the German Institute for Standardisation

DSL - Domestic Substances List (Canada)

ECx - Concentration associated with x% response

ELx - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and New Chemical Substances (Japan)

ErCx - Concentration associated with x% growth rate response

GHS - Globally Harmonized System

GLP - Good Laboratory Practice

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 - Half maximal inhibitory concentration

ICAO - International Civil Aviation Organization  
IECSC - Inventory of Existing Chemical Substances in China  
IMDG - International Maritime Dangerous Goods  
IMO - International Maritime Organization  
ISHL - Industrial Safety and Health Law (Japan)  
ISO - International Organisation for Standardization  
KECI - Korea Existing Chemicals Inventory  
LC50 - Lethal Concentration to 50 % of a test population  
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)  
MARPOL - International Convention for the Prevention of Pollution from Ships  
n.o.s. - Not Otherwise Specified  
NO(A)EC - No Observed (Adverse) Effect Concentration  
NO(A)EL - No Observed (Adverse) Effect Level  
NOELR - No Observable Effect Loading Rate  
NZIoC - New Zealand Inventory of Chemicals  
OECD - Organization for Economic Co-operation and Development  
OPPTS - Office of Chemical Safety and Pollution Prevention  
PBT - Persistent, Bioaccumulative and Toxic substance  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
(Q)SAR - (Quantitative) Structure Activity Relationship  
REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
SADT - Self-Accelerating Decomposition Temperature  
SDS - Safety Data Sheet  
TCSI - Taiwan Chemical Substance Inventory  
TECI - Thailand Existing Chemicals Inventory  
TSCA - Toxic Substances Control Act (United States)  
UN - United Nations  
UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods  
vPvB - Very Persistent and Very Bioaccumulative

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.