

Chemical Safety Data Sheet MSDS / SDS

4-Methylpyridine

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : 4-Methylpyridine
CBnumber : CB3778430
CAS : 108-89-4
EINECS Number : 203-626-4
Synonyms : 4-picoline,4-methylpyridine

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Hazard statements

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H315 Causes skin irritation

H311 Toxic in contact with skin
H226 Flammable liquid and vapour

SECTION 3: Composition/information on ingredients

Substance

Product name : 4-Methylpyridine
Synonyms : 4-picoline,4-methylpyridine
CAS : 108-89-4
EC number : 203-626-4
MF : C6H7N
MW : 93.13

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Carbon dioxide (CO₂) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

Carbon oxides Nitrogen oxides (NO_x)


Specific extinguishing methods

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



■ HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

■ FIRE 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N₂](#))

□ SPEC.
□ HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

SECTION 7: Handling and storage

Handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Storage

Further information on storage conditions

Keep container tightly closed in a dry and wellventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class

3, Flammable liquids

Recommended storage temperature

Recommended storage temperature see product label.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter

Filter A (acc. to DIN 3181) for vapours of organic

type

compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the

instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

Flame retardant antistatic protective clothing.

Hand protection

Material

butyl-rubber

Break through time

60 min

Glove thickness

0.7 mm

Protective index

Splash contact

Manufacturer

Butoject® (KCL 898)

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

liquid

Color

light yellow

Odor

Obnoxious, Sweetish

Odor Threshold

No data available

pH

No data available

Melting point/ range

2.4 °C

Method: lit.

Boiling point/boiling range

145 °C

Method: lit.

Flash point

39 °C

Method: closed cup

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

Upper explosion limit

Lower explosion limit / Lower flammability limit

Lower explosion limit

Vapor pressure

5 hPa (20 °C)

Relative vapor density

3.22

Relative density

0.957 g/mL at 25 °C (lit.)

Density

0.957 g/mL (25 °C)

Method: lit.

Water solubility

completely miscible

Partition coefficient: n-octanol/water

1.22

Autoignition temperature

538 °C

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

Not classified as explosive.

Oxidizing properties

none

Molecular weight

93.13 g/mol

Particle characteristics Particle size

No data available

Solubility

alcohol: soluble(lit.)

Physical state

Liquid

Dielectric constant

12.279999999999999

SECTION 10: Stability and reactivity**Reactivity**

Vapour/air-mixtures are explosive at intense warming.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

Conditions to avoid

Heating.

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 440 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l - vapour (Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Dermal - Rabbit - male - 260 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Remarks: Causes skin irritation.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes.

Remarks: Causes serious eye irritation.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) (ECHA)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: Based on the inconclusive available data the classification criteria are not met.

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: gene mutation test

Test system: Chinese hamster fibroblasts

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

RTECS: UT5425000

Liver injury may occur., Kidney injury may occur., Cough, Shortness of breath,

Headache, Nausea, Vomiting, Gastrointestinal disturbance

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Ecotoxicity

Components:

4-methylpyridine:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 403 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Remarks: (ECOTOX Database)

Persistence and degradability

No data available

Bioaccumulative potential

Components:

4-methylpyridine:

Partition coefficient: noctanol/water

log Pow: 1.22 Remarks: Bioaccumulation is not expected. (HSDB)

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UNID No. : UN 2313

Proper shipping name : Picolines

Class : 3

Packing group : III

Labels : Class 3 - Flammable liquids

Packing instruction (cargo aircraft) : 366

Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 2313

Proper shipping name : PICOLINES

Class : 3

Packing group : III

Labels : 3

EmS Code : F-E, S-D

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 2313

Proper shipping name : PICOLINES

Class : 3

Packing group : III

Labels : 3

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

W5.4 Flammable liquids 5,000 t

Hazardous Chemicals for Priority Management

Not listed under SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals

Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

SECTION 16: Other information

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals

ANTT - National Agency for Transport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight
 CMR - Carcinogen, Mutagen or Reproductive Toxicant
 DIN -Standard of the German Institute for Standardisation
 DSL - Domestic SubstancesList (Canada)
 ECx - Concentration associated with x% response
 ELx - Loading rate associated with x% response
 EmS - Emergency Schedule
 ENCS - Existing and NewChemical Substances (Japan)
 ErCx - Concentration associated with x% growth rate response
 ERG - Emergency Response Guide
 GHS - Globally Harmonised System
 GLP - Good Laboratory Practice
 IARC - International Agency for Research on Can- cer
 IATA - International Air Transport Association
 IBC - International Code for theConstruction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 -Half maximal inhibitory concentration
 ICAO - International Civil Aviation Organiza- tion
 IECSC - Inventory of Existing Chemical Substances in China
 IMDG - Interna- tional Maritime Dangerous Goods
 IMO - International Maritime Organisation
 ISHL -Industrial Safety and Health Law (Japan)
 ISO - International Organisation forStandardisation
 KECI - Korea Existing Chemicals Inventory
 LC50 - Lethal Concen- tration to 50 % of a test population
 LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
 MARPOL - International Convention for the Prevention of Pol- lution from Ships
 MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods
 n.o.s. - Not Otherwise Specified
 Nch - Chilean Norm
 NO(A)EC - No Observed (Adverse) Effect Concentration
 NO(A)EL - No Observed (Adverse) Ef- fect Level
 NOELR - No Observable Effect Loading Rate
 NOM - Official MexicanNorm
 NTP - National Toxicology Program
 NZIoC - New Zealand Inventory of Chem- icals
 OECD - Organisation for Economic Co-operation and Development
 OPPTS - Of- fice of Chemical Safety and Pollution Prevention
 PBT - Persistent, Bioaccumulative and Toxic substance
 PICCS - Philippines Inventory of Chemicals and Chemical Sub- stances
 (Q)SAR - (Quantitative) Structure Activity Relationship
 REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning theRegistration, Evaluation, Authorisation and Restriction of Chemicals
 SADT - Self-Accelerating Decomposition Temperature
 SDS - Safety Data Sheet

TCSI - TaiwanChemical Substance Inventory

TDG - Transportation of Dangerous Goods

TECI -Thailand Existing Chemicals Inventory

TSCA - Toxic Substances Control Act (UnitedStates)

UN - United Nations

UNRTDG - United Nations Recommendations on theTransport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

WHMIS - Workplace Hazardous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.