

## Chemical Safety Data Sheet MSDS / SDS

**L-TarB-NO<sub>2</sub>, 2-(3-Nitrophenyl)-1,3,2-dioxaborolane-4R,5R-dicarboxylic acid**

Revision Date:2026-05-31 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : L-TarB-NO<sub>2</sub>, 2-(3-Nitrophenyl)-1,3,2-dioxaborolane-4R,5R-dicarboxylic acid  
CBnumber : CB12101700  
CAS : 467443-01-2  
Synonyms : L-TarB-NO<sub>2</sub>

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P405 Store locked up.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P201 Obtain special instructions before use.

P403+P235 Store in a well-ventilated place. Keep cool.

P370+P378 In case of fire: Use ... for extinction.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

**Hazard statements**

H333 May be harmful if inhaled

H303 May be harmful if swallowed

H351 Suspected of causing cancer

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H225 Highly Flammable liquid and vapour

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name : L-TarB-NO<sub>2</sub>, 2-(3-Nitrophenyl)-1,3,2-dioxaborolane-4R,5R-dicarboxylic acid

Synonyms : L-TarB-NO<sub>2</sub>

CAS : 467443-01-2

MF : C<sub>10</sub>H<sub>8</sub>BNO<sub>8</sub>

MW : 280.98

---

## SECTION 4: First aid measures

### General Advice

If symptoms persist, call a physician.

### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

### Ingestion

Clean mouth with water and drink afterwards plenty of water.

### Most important symptoms and effects

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Notes to Physician

Treat symptomatically. Symptoms may be delayed.

---

## SECTION 5: Firefighting measures

### Suitable Extinguishing Media

Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.


### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA 704



■ HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

■ FIRE 3 Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, [acetone](#))

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

□ SPEC.  
HAZ.

---

## SECTION 6: Accidental release measures

### Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: Handling and storage

### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### Storage

Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep container tightly closed in a dry and well-ventilated place.

Keep away from heat, sparks and flame.

### Specific Use(s)

Use in laboratories

## SECTION 8: Exposure controls/personal protection

### Control Parameters

Component	China	Taiwan	Thailand	Hong Kong
Tetrahydrofuran	TWA: 300 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 590 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 200 ppm TWA: 590 mg/m <sup>3</sup> STEL: 250 ppm STEL: 737 mg/m <sup>3</sup>

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Tetrahydrofuran	TWA: 50 ppm STEL: 100 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 590 mg/m <sup>3</sup> STEL: 250 ppm (Vacated) STEL: 735 mg/m <sup>3</sup> TWA: 200 ppm TWA: 590 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 200 ppm TWA: 590 mg/m <sup>3</sup> STEL: 250 ppm STEL: 735 mg/m <sup>3</sup>	STEL: 100 ppm 15 min STEL: 300 mg/m <sup>3</sup> 15 min TWA: 50 ppm 8 hr TWA: 150 mg/m <sup>3</sup> 8 hr Skin	TWA: 50 ppm (8h) TWA: 150 mg/m <sup>3</sup> (8h) STEL: 100 ppm (15min) STEL: 300 mg/m <sup>3</sup> (15min) Skin

---

## Legend

### ACGIH

- American Conference of Governmental Industrial Hygienists

### OSHA

- Occupational Safety and Health Administration

### NIOSH

NIOSH - National Institute for Occupational Safety and Health

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88

Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

## Exposure Controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

## Personal protective equipment

### Eye Protection

Goggles (European standard - EN 166)

### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)

### Viton (R)

recommendations

Butyl rubber

Neoprene gloves

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g.

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

### Skin and body protection

Long sleeved clothing

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### **Large scale/emergency use**

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Multi-purpose/ABEK conforming to EN14387 low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter

Type A Brown

### **Small scale/Laboratory use**

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### **Environmental exposure controls**

No information available.

---

## SECTION 9: Physical and chemical properties

### **Information on basic physicochemical properties**

Colorless - Brown

---

### **Physical State**

Liquid

### **Odor**

No information available

### **Odor Threshold**

No data available

### **pH**

No information available

### **Melting Point/Range**

No data available

### **Softening Point**

No data available

**Boiling Point/Range**

619.7±55.0 °C(Predicted)

**Flash Point**

17 °C / 1.4 °F Method - No information available

**Evaporation Rate**

No data available

**Flammability (solid,gas)**

Not applicable Liquid

**Explosion Limits**

No data available

**Vapor Pressure**

23 hPa @ 20 °C

**Vapor Density**

No data available (Air = 1.0)

**Specific Gravity / Density**

1.053 g/cm<sup>3</sup> @ 20 °C

**Bulk Density**

Not applicable Liquid

**Water Solubility**

Miscible

**Solubility in other solvents**

No information available

**Partition Coefficient (n-octanol/water)**

No data available

**desc\_info**

Component: Tetrahydrofuran log Pow: 0.45

**Autoignition Temperature**

No data available

**Decomposition Temperature**

No data available

**Viscosity**

No data available

### Explosive Properties

Vapors may form explosive mixtures with air

### Oxidizing Properties

No information available

### Colour

Colorless to brown

---

## SECTION 10: Stability and reactivity

### Stability

Moisture sensitive.

### Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

No information available.

### Conditions to Avoid

Keep away from open flames, hot surfaces and sources of ignition.

### Materials to avoid

No information available.

### Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Oxides of boron.

---

## SECTION 11: Toxicological information

### Product Information

#### (a) acute toxicity;

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tetrahydrofuran	1650 mg/kg ( Rat )	> 2000 mg/kg (Rabbit)	180 mg/L ( Rat ) 1 h 53.9 mg/L ( Rat ) 4 h

#### (b) skin corrosion/irritation;

No data available

**(c) serious eye damage/irritation;**

Category 2

**(d) respiratory or skin sensitization;****Respiratory**

No data available

**Skin**

No data available

Component	Test method	Test species	Study result
Tetrahydrofuran 109-99-9 ( 68.39 )	Local Lymph Node Assay OECD Test Guideline 429	mouse	non-sensitising

**(e) germ cell mutagenicity;**

No data available

Component	Test method	Test species	Study result
Tetrahydrofuran 109-99-9 ( 68.39 )	OECD Test Guideline 476 Gene cell mutation -----	in vivo Mammalian -----	negative -----
	----- OECD Test Guideline 473 Chromosomal aberration assay	----- in vitro Mammalian	----- negative

**(f) carcinogenicity;**

Category 2

Limited evidence of a carcinogenic effect The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Tetrahydrofuran				Group 2B

**(g) reproductive toxicity;**

No data available

Component	Test method	Test species / Duration	Study result
Tetrahydrofuran 109-99-9 ( 68.39 )	OECD Test Guideline 416	Rat 2 Generation	NOAEL = 3,000 ppm

**(h) STOT-single exposure;**

Category 3

**Results / Target organs**

Respiratory system

Central nervous system (CNS)

**(i) STOT-repeated exposure;**

No data available

**Target Organs**

No information available.

**(j) aspiration hazard;**

No data available

### Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

---

## SECTION 12: Ecological information

### Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Tetrahydrofuran	2160 mg/l LC50 = 96 h Pimephales promelas Leuciscus idus: LC50: 2820 mg/L/48h	EC50 48 h 3485 mg/l EC50: >10000 mg/L/24h		

### Persistence and Degradability

#### Persistence

Miscible with water, Persistence is unlikely, based on information available.

#### Bioaccumulative Potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Tetrahydrofuran	0.45	No data available

#### Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils

#### Endocrine Disruptor Information

Component	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors Evaluated Substances	Japan - Endocrine Disruptor Information
Tetrahydrofuran	Group III Chemical		

#### Persistent Organic Pollutant

This product does not contain any known or suspected substance

#### Ozone Depletion Potential

This product does not contain any known or suspected substance

---

## SECTION 13: Disposal considerations

### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in  
Chemical Book

accordance with local regulations.

### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

---

## **SECTION 14: Transport information**

### **Road and Rail Transport**

#### **UN-No**

UN2056

#### **Proper Shipping Name**

TETRAHYDROFURAN

#### **Hazard Class**

3

#### **Packing Group**

II

### **IMDG/IMO**

#### **UN-No**

UN2056

#### **Proper Shipping Name**

TETRAHYDROFURAN

#### **Hazard Class**

3

#### **Packing Group**

II

### **IATA**

#### **UN-No**

UN2056

#### **Proper Shipping Name**

TETRAHYDROFURAN

#### **Hazard Class**

3

#### **Packing Group**

II

#### **Special Precautions for User**

No special precautions required

---

## SECTION 15: Regulatory information

### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Tetrahydrofuran	X	X	X	X	203-726-8	X	X	X	X	X	X	KE-33454
3-Nitrobenzeneboronic acid L-tartaric acid ester	-	-	X	-	-	-	-	-	-	-	-	-

### National Regulations

---

## SECTION 16: Other information

### Prepared By

Health, Safety and Environmental Department

### Revision Date

28-Oct-2025

### Revision Summary

Not applicable.

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene. Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

### Legend

#### CAS

Chemical Abstracts Service

#### TSCA

United States Toxic Substances Control Act Section 8(b)

Inventory

**EINECS/ELINCS**

European Inventory of Existing Commercial Chemical  
Substances/EU List of Notified Chemical Substances

**DSL/NDSL**

Canadian Domestic Substances List/Non-Domestic  
Substances List

**PICCS**

Philippines Inventory of Chemicals and Chemical Substances

**ENCS**

Japanese Existing and New Chemical Substances

**IECSC**

Chinese Inventory of Existing Chemical Substances

**AICS**

Australian Inventory of Chemical Substances

**KECL**

Korean Existing and Evaluated Chemical Substances

**NZIoC**

New Zealand Inventory of Chemicals

**WEL**

Workplace Exposure Limit

**TWA**

Time Weighted Average

**ACGIH**

American Conference of Governmental Industrial Hygienists

**IARC**

International Agency for Research on Cancer

**DNEL**

Derived No Effect Level

**PNEC**

Predicted No Effect Concentration

**RPE**

Respiratory Protective Equipment

**LD50**

Lethal Dose 50%

**LC50**

Lethal Concentration 50%

**EC50**

Effective Concentration 50%

**NOEC**

No Observed Effect Concentration

**POW**

Partition coefficient Octanol:Water

**PBT**

Persistent, Bioaccumulative, Toxic

**vPvB**

very Persistent, very Bioaccumulative

**ICAO/IATA**

International Civil Aviation Organization/International Air  
Transport Association

**IMO/IMDG**

International Maritime Organization/International Maritime  
Dangerous Goods Code

**ADR**

European Agreement Concerning the International Carriage of  
Dangerous Goods by Road

**MARPOL**

International Convention for the Prevention of Pollution from  
Ships

**OECD**

Organisation for Economic Co-operation and Development

**ATE**

Acute Toxicity Estimate

**BCF**

Bioconcentration factor

**VOC**

(Volatile Organic Compound)

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Physical hazards**

On basis of test data

**Health Hazards**

Calculation method

**Environmental hazards**

Calculation method

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.