

Chemical Safety Data Sheet MSDS / SDS

ALPHA-ZEARALENOL

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : ALPHA-ZEARALENOL
CBnumber : CB8491950
CAS : 36455-72-8
EINECS Number : 828-728-1
Synonyms : Alpha-Zearalenol,Zearalenol

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Hazard statements

H412 Harmful to aquatic life with long lasting effects

H371 May cause damage to organs

H351 Suspected of causing cancer

SECTION 3: Composition/information on ingredients

Substance

Product name	: ALPHA-ZEARALENOL
Synonyms	: Alpha-Zearalenol,Zearalenol
CAS	: 36455-72-8
EC number	: 828-728-1
MF	: C ₁₈ H ₂₄ O ₅
MW	: 320.38

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products Hazardous combustion products

Carbon oxides Hydrogen chloride gas Carbon oxides Hydrogen chloride gas


Specific extinguishing methods

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N₂](#))

SPEC.

HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Avoidance of contact

Strong oxidizing agents

Storage

Further information on storage conditions

Tightly closed. Dry.

Storage class

8B, Non-combustible, corrosive hazardous materials

Recommended storage temperature

-20 °C

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Biological occupational exposure limits 2,5- Urine End of 0.5 mg/l ACGIH

Hexanedi- shift BEI one

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection

protective clothing

Hand protection**Material**

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

powder

Color

white

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/ range

No data available

Boiling point/boiling range

599.0±50.0 °C(Predicted)

Flash point

2°C

Evaporation rate

No data available

Flammability (solid, gas)

The product is not flammable.

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

1.174±0.06 g/cm³(Predicted)

Density

1.174±0.06 g/cm³(Predicted)

Water solubility

slightly soluble (20 °C)

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

Not classified as explosive.

Oxidizing properties

none

Molecular weight

320.38 g/mol

Particle characteristics Particle size

No data available

Solubility

≤20mg/ml in ethanol;30mg/ml in DMSO;30mg/ml in dimethyl formamide

Physical state

crystalline solid

SECTION 10: Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous

No data available reactions

Conditions to avoid

no information available

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 2,003 mg/kg (Calculation method)

LD50 Oral - Rat - > 4,000 mg/kg

LD50 Oral - Mouse - > 2,000 mg/kg

Acute toxicity estimate Inhalation - 4 h - > 40 mg/l - vapour (Calculation method)

Acute toxicity estimate Dermal - > 5,000 mg/kg (Calculation method)

Skin corrosion/irritation

Skin - Guinea pig

Result: Severe skin irritation - 24 h

Serious eye damage/eye irritation

Classified based on available data. For more details, see section 2

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Ecotoxicity

Components:

α -Zearalenol:

Toxicity to fish

Remarks: No data available

Dichloromethane:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 193.00 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 27 mg/l End point: mortality Exposure time: 48 h Test Type: static test Method: US-EPA

Toxicity to fish (Chronic toxicity)

LC50 (Pimephales promelas (fathead minnow)): 471 mg/l End point: mortality Exposure time: 8 d Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA)

Toxicity to microorganisms

EC50 (activated sludge): 2,590 mg/l Exposure time: 40 min Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209

n-Hexane:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 2.5 mg/l Exposure time: 96 h Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.1 mg/l Exposure time: 48 h Remarks: (Lit.)

Methanol:

Toxicity to fish

LC50 (Lepomis macrochirus (Bluegill)): 15,400.0 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: US-EPA

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 18,260 mg/l End point: Immobilization Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): ca. 22,000.0 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity)

NOEC (Oryzias latipes (Orange-red killifish)): 7,900 mg/l Exposure time: 200 h Remarks: (External MSDS)

Toxicity to microorganisms

IC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209

acetone:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 6,210 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

LC50 (Daphnia pulex (Water flea)): 8,800 mg/l End point: mortality Exposure time: 48 h Test Type: static test Remarks: (ECHA)

Toxicity to algae/aquatic plants

NOEC (M.aeruginosa): 530 mg/l Exposure time: 8 d Test Type: static test Method: DIN 38412 Remarks: (maximum permissible toxic concentration) (IUCLID)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 2,212 mg/l End point: reproduction rate Exposure time: 28 d Test Type: flow-through test Remarks: (ECHA)

Toxicity to microorganisms

EC50 (activated sludge): 61.15 mg/l Exposure time: 30 min Test Type: static test Method: OECD Test Guideline 209

Persistence and degradability**Components:****α-Zearalenol:****Biodegradability**

Remarks: No data available

Dichloromethane:**Biodegradability**

aerobic Inoculum: activated sludge, non-adapted Concentration: 5 mg/l Result: Readily biodegradable. Biodegradation: 68 % Exposure time: 28 d Method: OECD Test Guideline 301D GLP: yes

n-Hexane:**Biodegradability**

aerobic Inoculum: activated sludge Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: 98 % Exposure time: 28 d Method: OECD Test Guideline 301F GLP: yes Remarks: (in analogy to similar products)

Methanol:**Biodegradability**

Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 30 d Method: OECD Test Guideline 301D

Biochemical Oxygen Demand (BOD)

600 - 1,120 mg/g Incubation time: 5 d Remarks: (IUCLID)

Chemical Oxygen Demand (COD)

1,420 mg/g Remarks: (IUCLID)

ThOD

1,500 mg/g Remarks: (Lit.)

BOD/ThOD

76 % Remarks: Closed Bottle test (IUCLID)

Stability in water

Hydrolysis: 83 - 91 % at 19 °C(72 h) Remarks: Hydrolyses on contact with water. Hydrolyses readily. Degradation half life: 2.2 yr Remarks: reaction with hydroxyl radicals (IUCLID)

Photodegradation

Degradation (direct photolysis): 50 % Degradation half life: 17.2 d

acetone:

Biodegradability

aerobic Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 91 % Exposure time: 28 d Method: OECD Test Guideline 301B

Biochemical Oxygen Demand (BOD)

1,850 mg/g Incubation time: 5 d Remarks: (IUCLID)

Chemical Oxygen Demand (COD)

2,070 mg/g Remarks: (IUCLID)

ThOD

2,200 mg/g Remarks: (Lit.)

Bioaccumulative potential

Components:

α -Zearalenol:

Bioaccumulation

Remarks: No data available

Dichloromethane:

Bioaccumulation

Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 2 - 5.4 Exposure time: 6 Weeks Concentration: 250 µg/l Method: OECD Test Guideline 305 GLP: yes Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 6 - 40 Exposure time: 6 Weeks Concentration: 25 µg/l Method: OECD Test Guideline 305 GLP: yes

Partition coefficient: noctanol/water

log Pow: 1.25 (20 °C) pH: 7 Method: (experimental) Remarks: Bioaccumulation is not expected.

n-Hexane:

Partition coefficient: noctanol/water

log Pow: ca. 4 (20 °C) Method: (experimental) Remarks: (Lit.) Potential bioaccumulation

Methanol:

Bioaccumulation

Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 1.0 Exposure time: 72 d Temperature: 20 °C Concentration: 5 mg/l

Partition coefficient: noctanol/water

log Pow: -0.77 (25 °C) Method: (experimental) Remarks: (HSDB) Bioaccumulation is not expected.

acetone:

Bioaccumulation

Bioconcentration factor (BCF): < 10 Remarks: Does not bioaccumulate.

Mobility in soil

Components:

α -Zearalenol:

Stability in soil

Remarks: No data available

n-Hexane:

Stability in soil

Remarks: No data available

Methanol:

Stability in soil

Remarks: Will not adsorb on soil.

Other adverse effects

Components:

α -Zearalenol:

Additional ecological information

No data available

Dichloromethane:

Results of PBT and vPvB assessment

Not persistent, bioaccumulative, and toxic (PBT). Not very persistent and very bioaccumulative (vPvB). : Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

n-Hexane:

Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Methanol:

Results of PBT and vPvB assessment

Not persistent, bioaccumulative, and toxic (PBT).

Additional ecological information

Avoid release to the environment.

acetone:

Results of PBT and vPvB assessment

Not persistent, bioaccumulative, and toxic (PBT). Not very persistent and very bioaccumulative (vPvB). : Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 3261

Proper shipping name : Corrosive solid, acidic, organic, n.o.s.

(α -Zearalenol)

Class : 8

Packing group : II

Labels : Class 8 - Corrosive substances

Packing instruction (cargo aircraft) : 863

Packing instruction (passenger aircraft) : 859

IMDG-Code

UN number : UN 3261

Proper shipping name : CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

(α -Zearalenol)

Class : 8

Packing group : II

Labels : 8

EmS Code : F-A, S-B

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 3261

Proper shipping name : CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

(α -Zearalenol)

Class : 8

Packing group : II

Labels : 8

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

Not listed

Hazardous Chemicals for Priority Management

Listed under SAWS

Catalogue of Specially Controlled Hazardous

Listed Chemicals

List of Explosive Precursors

Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals

Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals

Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances

Not listed

List of Controlled Ozone Depleting Substances Import and Export

Not listed

Environmental Protection Law

List of Priority Controlled Chemicals

Not listed

List of Key Controlled New Pollutants

Listed

SECTION 16: Other information

Full text of other abbreviations

ACGIH

USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

CN BEI

China. Biological Occupational Exposure Indices

GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA

8-hour, time-weighted average

ACGIH / STEL

Short-term exposure limit

GBZ 2.1-2007 / PC-TWA

Permissible concentration - time weighted average

GBZ 2.1-2007 / PC-STEL AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x% respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; MERC of Dangerous Goods; n.o. - No Observed (Adverse) fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organisatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemicala States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar

Permissible concentration - short term exposure limit ry of Industrial Chemicals

ANTT - National Agency for il
 ASTM - American Society for the Testing of Materials
 - Carcinogen, Mutagen or Reproductive Toxicant
 DIN nstitute for Standardisation
 DSL - Domestic Substances ntration associated with x% response
 ELx - Loading rate se
 EmS - Emergency Schedule
 ENCS - Existing and New n)
 ErCx - Concentration associated with x% growth rate cy Response Guide
 GHS - Globally Harmonised System
 actice
 IARC - International Agency for Research on Canir Transport Association
 IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk
 IC50 ncentration
 ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China
 IMDG - Interna- Goods
 IMO - International Maritime Organisation
 ISHL alth Law (Japan)
 ISO - International Organisation for rea Existing Chemicals Inventory
 LC50 - Lethal Concenopulation
 LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pol- SUR - The Agreement for the
 Facilitation of the Transport . - Not Otherwise Specified
 Nch - Chilean Norm
 NO(A)EC ffect Concentration
 NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate
 NOM - Official Mexican ology Program
 NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development
 OPPTS - Ofd Pollution Prevention
 PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship
 REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals
 SADT - Selfn Temperature
 SDS - Safety Data Sheet
 TCSI - Taiwan tory
 TDG - Transportation of Dangerous Goods
 TECI s Inventory
 TSCA - Toxic Substances Control Act (United ons)
 UNRTDG - United Nations Recommendations on the oods
 vPvB - Very Persistent and Very Bioaccumulative
 ous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.

