

## Chemical Safety Data Sheet MSDS / SDS

**BARIUM SELENATE**

Revision Date:2026-05-31 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : BARIUM SELENATE  
CBnumber : CB1481776  
CAS : 7787-41-9  
EINECS Number : 232-113-8  
Synonyms : BARIUM SELENATE

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

No data available

**Precautionary statements**

P405 Store locked up.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

**Hazard statements**

H410 Very toxic to aquatic life with long lasting effects

H400 Very toxic to aquatic life

H373 May cause damage to organs through prolonged or repeated exposure

H331 Toxic if inhaled

H301 Toxic if swallowed

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: BARIUM SELENATE
Synonyms	: BARIUM SELENATE
CAS	: 7787-41-9
EC number	: 232-113-8
MF	: BaH4O4Se
MW	: 284.33

---

## SECTION 4: First aid measures

### First Aid Measures

#### General advice

Consult a physician if necessary. Remove to fresh air.

#### Eye contact

Wash with plenty of water.

#### Skin Contact

Wash skin with soap and water.

#### Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

#### Ingestion

Never give anything by mouth to an unconscious person. Clean mouth with water.

### Most important symptoms and effects, both acute and delayed

#### Symptoms

No information available.

### Indication of any immediate medical attention and special treatment needed

#### Note to physicians

Treat symptomatically.

---

## SECTION 5: Firefighting measures

### Suitable Extinguishing Media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

No information available.

### Specific hazards arising from the chemical

#### Specific hazards arising from the chemical

No information available.

#### Hazardous combustion products

Hydrogen sulfide.

#### Explosion data

#### Sensitivity to Mechanical Impact

No information available.

#### Sensitivity to Static Discharge


No information available.

#### Protective equipment and precautions for firefighters

#### Protective equipment and precautions for firefighters

As in any fire, wear self contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA 704



**HEALTH 3** Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

**FIRE 0** Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

**REACT 0** Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

**SPEC.**

**HAZ.**

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Ensure adequate ventilation, especially in confined areas.

#### Environmental precautions

#### Environmental precautions

See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

### Methods for containment

Prevent further leakage or spillage if safe to do so.

### Methods for cleaning up

Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature.

#### Incompatible materials

None known based on information supplied.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Exposure Guidelines

.

#### Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Barium selenate(VI) 7787-41-9	TWA: 0.5 mg/m3 Ba TWA: 0.2 mg/m3 Se	TWA: 0.5 mg/m3 Ba regulated under CAS 7440-39-3 TWA: 0.2 mg/m3 Se (vacated) TWA: 0.5 mg/m3 Ba (vacated) TWA: 0.2 mg/m3 Se	IDLH: 50 mg/m3 Ba IDLH: 1 mg/m3 Se TWA: 0.5 mg/m3 except Barium sulfate Ba TWA: 0.2 mg/m3 except Selenium hexafluoride Se
----------------------------------	--	--	--

NIOSH IDLH Immediately Dangerous to Life or Health

### Appropriate engineering controls

#### Engineering Controls

Showers

Eyewash stations

Ventilation systems

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Skin and Body Protection

Wear protective gloves and protective clothing.

### Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical State	Solid
Appearance	powder
Odor	No information available
pH	No information available
Melting point/freezing point	350 °C
Boiling point	No information available
Flash point	No information available
Liquid Density	No information available
Evaporation rate	No information available
Upper flammability limits	No information available
Lower flammability limit	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific gravity	No information available
Water solubility	g/L soln; H <sub>2</sub> O; 0.081 (25°C); soluble HCl, insoluble HNO <sub>3</sub> [MER06] [KRU93]
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Density and/or relative density	4.750
Colour	white rhomb crystals, crystalline

---

## SECTION 10: Stability and reactivity

### Reactivity

Not applicable

### Chemical stability

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Hazardous polymerization**

No information available.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

### **Incompatible materials**

Strong oxidizing agents.

### **Hazardous Decomposition Products**

Hydrogen sulfide.

---

## **SECTION 11: Toxicological information**

### **Information on likely routes of exposure**

#### **Inhalation**

Classified based on available data. For more details, see section 2.

#### **Eye contact**

Classified based on available data. For more details, see section 2.

#### **Skin Contact**

Classified based on available data. For more details, see section 2.

#### **Ingestion**

Classified based on available data. For more details, see section 2.

### **Information on toxicological effects**

#### **Symptoms**

Classified based on available data. For more details, see section 2.

### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

#### **Chronic Toxicity**

Classified based on available data. For more details, see section 2. Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

### **Chemical name ACGIH IARC NTP OSHA**

#### **Barium selenate(VI) - Group**

3 - - 7787-41-9

### **Numerical measures of toxicity - Product Information**

#### **Unknown acute toxicity**

Classified based on available data. For more details, see section 2

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

100 mg/kg

**ATEmix (inhalation-dust/mist)**

0.5 mg/l

---

## SECTION 12: Ecological information

### Ecotoxicity

Very toxic to aquatic life with long lasting effects

0% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

### Mobility

No information available.

---

## SECTION 13: Disposal considerations

### Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated packaging

Do not reuse container.

### California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Barium selenate(VI) 7787-41-9	Toxic

---

## SECTION 14: Transport information

### DOT

#### UN/ID no

UN3288

#### Hazard Class

6.1

**Packing Group**

III

**Proper shipping name**

Toxic solid, inorganic, n.o.s.

**Description**

UN3288, Toxic solid, inorganic, n.o.s. (Barium selenate(VI)), 6.1, III

**Emergency Response Guide Number**

151

**IMDG****UN/ID no**

UN3288

**Hazard Class**

6.1

**Packing Group**

III

**Proper shipping name**

Toxic solid, inorganic, n.o.s.

**Description**

UN3288, Toxic solid, inorganic, n.o.s. (Barium selenate(VI)), 6.1, III, Marine pollutant

**Special Provisions**

223, 274

**EmS-No**

F-A, S-A

**IATA****UN/ID no**

UN3288

**Hazard Class**

6.1

**Packing Group**

III

**Proper shipping name**

Toxic solid, inorganic, n.o.s.

**Description**

UN3288, Toxic solid, inorganic, n.o.s. (Barium selenate(VI)), 6.1, III

**ERG Code**

6L

---

## SECTION 15: Regulatory information

**International Inventories**

All of the components in the product are on the following Inventory lists

TSCA (United States): Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) South Korea (KECL): ENCS (Japan):

X - Listed

Philippines (PICCS)

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Chemical name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Barium selenate(VI)	X	-	X	X	-	X	-	X	X	X

## US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

#### Acute health hazard

Yes

#### Chronic Health Hazard

Yes

#### Fire hazard

No

#### Sudden release of pressure hazard

No

#### Reactive hazard

No

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Barium selenate(VI) 7787-41-9		X		

## US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania

Barium selenate(VI) 7787-41-9	X	Not Listed	X
-------------------------------	---	------------	---

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.