

## Chemical Safety Data Sheet MSDS / SDS

**BISMUTH(III) IODIDE**

Revision Date:2026-05-30 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : BISMUTH(III) IODIDE  
CBnumber : CB3149964  
CAS : 7787-64-6  
EINECS Number : 232-127-4  
Synonyms : BISMUTH(III) IODIDE,Bismuth Iodide

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P363 Wash contaminated clothing before reuse.

**Hazard statements**

H314 Causes severe skin burns and eye damage

**SECTION 3: Composition/information on ingredients**

## Substance

Product name	: BISMUTH(III) IODIDE
Synonyms	: BISMUTH(III) IODIDE, Bismuth Iodide
CAS	: 7787-64-6
EC number	: 232-127-4
MF	: BiI3
MW	: 589.69

---

## SECTION 4: First aid measures

### General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## Specific hazards during fire fighting

Not combustible. Ambient fire may liberate hazardous vapours.

## Hazardous combustion products

Bismuth oxides


## Specific extinguishing methods

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## NFPA 704



**HEALTH 3** Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

**FIRE 0** Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

**REACT 1** Normally stable, but can become unstable at elevated temperatures and pressures (e.g. [propene](#))

**SPEC.**  
**HAZ.**

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of

properly. Clean up affected area. Avoid generation of dusts.

---

## SECTION 7: Handling and storage

### Handling

#### Avoidance of contact

Sodium/sodium oxides

### Storage

#### Further information on storage conditions

Tightly closed. Dry.

#### Storage class

8A, Combustible, corrosive hazardous materials

#### Recommended storage temperature

Recommended storage temperature see product label.

#### Further information on storage stability

hygroscopic

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### Engineering measures

No data available

### Personal protective equipment

#### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Recommended Filter type

Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

#### Skin and body protection

protective clothing

#### Hand protection

**Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Full contact

**Manufacturer**

KCL 741 L

**Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Splash contact

**Manufacturer**

KCL 741 L

**Remarks**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

**Information on basic physicochemical properties**

solid

---

**Color**

Dark gray to black

**Odor**

No data available

**Odor Threshold**

No data available

**pH**

No data available

**Melting point/ range**

408 °C

Method: lit.

**Boiling point/boiling range**

500°C

**Flash point**

500°C

**Evaporation rate**

No data available

**Flammability (solid, gas)**

No data available

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Upper explosion limit / Upper flammability limit**

No data available

**Lower explosion limit / Lower flammability limit**

No data available

**Vapor pressure**

No data available

**Relative vapor density**

No data available

**Relative density**

5.78 g/mL at 25 °C(lit.)

**Density**

5.78 g/mL (25 °C)

Method: lit.

**Water solubility**

insoluble

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

No data available

**Decomposition temperature**

No data available

**Viscosity, dynamic**

No data available

**Viscosity, kinematic**

No data available

**Flow time**

No data available

**Explosive properties**

No data available

**Oxidizing properties**

none

**Molecular weight**

589.69 g/mol

**Particle characteristics Particle size**

No data available

**Solubility**

soluble in ethanol

**Physical state**

beads

---

**SECTION 10: Stability and reactivity****Reactivity**

No data available

**Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

**Possibility of hazardous reactions**

No data available

**Conditions to avoid**

no information available

### **Incompatible materials**

Sodium/sodium oxides

### **Hazardous decomposition products**

In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

#### **Skin corrosion/irritation**

Remarks: Causes skin burns.

#### **Serious eye damage/eye irritation**

Remarks: Causes serious eye damage.

#### **Respiratory or skin sensitization**

Classified based on available data. For more details, see section 2

#### **Germ cell mutagenicity**

Classified based on available data. For more details, see section 2

#### **Carcinogenicity**

Classified based on available data. For more details, see section 2

#### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - single exposure**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

### **11.2 Additional Information**

Symptoms of chronic bismuth toxicity in humans consists of decreased appetite, weakness, rheumatic pain, diarrhea, fever, metal line on the gums, foul breathe, gingivitis, and dermatitis. Jaundice and conjunctival hemorrhage are rare, but have been reported. Bismuth nephropathy with proteinuria may occur. The kidney is the site of highest concentration with the liver being considerably lower. Bismuth does pass into the amniotic fluid and into the fetus., Prolonged exposure to iodides may produce iodism in sensitive individuals. Symptoms of exposure include: skin rash, running nose, headache and irritation of the mucous membrane. For severe cases the skin may show pimples, boils, hives, blisters and black and blue spots. Iodides are readily diffused across the placenta. Neonatal deaths from respiratory distress secondary to goiter have been reported. Iodides have been known to cause drug- induced fevers, which are usually of short duration., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, To the best of our

knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### **Ecotoxicity**

No data available

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

### **Disposal methods**

#### **Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

### **International Regulations**

#### **IATA-DGR**

UN/ID No. : UN 3260

Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.

(Bismuth triiodide)

Class : 8

Packing group : II

Labels : Class 8 - Corrosive substances

Packing instruction (cargo aircraft) : 863

Packing instruction (passenger aircraft) : 859

#### **IMDG-Code**

UN number : UN 3260

Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

(Bismuth triiodide)

Class : 8

Packing group : II

Labels : 8

EmS Code : F-A, S-B

Marine pollutant : no

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### **National Regulations**

#### **JT/T 617**

UN number : UN 3260

Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

(Bismuth triiodide)

Class : 8

Packing group : II

Labels : 8

Environmentally hazardous : no

### **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## **SECTION 15: Regulatory information**

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

### **National regulatory information**

#### **Law on the Prevention and Control of Occupational Diseases**

#### **Regulations on Safety Management of Hazardous Chemicals**

#### **Catalogue of Hazardous Chemicals**

#### **Hazardous Chemicals for Priority Management**

Not applicable under SAWS

#### **Catalogue of Specially Controlled Hazardous**

Not listed Chemicals

#### **List of Explosive Precursors**

Not listed

## **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

### **China Severely Restricted Toxic Chemicals for Import and Export**

Not applicable

## **Measures on the Environmental Administration of New Chemical Substances Registration**

### **Registration/Notification number**

B1A222214570 B1A222232530

## **Regulation on the Administration of Precursor Chemicals**

### **Catalogue and Classification of Precursor Chemicals**

Not listed

## **Regulations on the Administration of Controlled Chemicals**

### **List of Controlled Chemicals**

Not listed

## **Regulations of Ozone Depleting Substances Management**

### **List of Controlled Ozone Depleting Substances**

Not listed

### **List of Controlled Ozone Depleting Substances Import and Export**

Not listed

## **Environmental Protection Law**

### **List of Priority Controlled Chemicals**

Not listed

### **List of Key Controlled New Pollutants**

Not listed

---

## SECTION 16: Other information

### **Full text of other abbreviations**

#### **ACGIH**

USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx

- Conc associated with x% respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; MERC of Dangerous Goods; n.o. - No Observed (Adverse) fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organisatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemica States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar

8-hour, time-weighted average ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonised System

actice

IARC - International Agency for Research on Canir Transport Association

IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk

IC50 ncentration

ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China

IMDG - Interna- Goods

IMO - International Maritime Organisation

ISHL alth Law (Japan)

ISO - International Organisation for rea Existing Chemicals Inventory

LC50 - Lethal Concenopulation

LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pol- SUR - The Agreement for the Facilitation of the Transport . - Not Otherwise Specified

Nch - Chilean Norm

NO(A)EC ffect Concentration

NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate

NOM - Official Mexican ology Program

NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development

OPPTS - Ofd Pollution Prevention

PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship

REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals

SADT - Selfn Temperature

SDS - Safety Data Sheet

TCSI - Taiwan tory

TDG - Transportation of Dangerous Goods

TECI s Inventory

TSCA - Toxic Substances Control Act (United ons

UNRTDG - United Nations Recommendations on the Goods

vPvB - Very Persistent and Very Bioaccumulative

Global Harmonized System of Classification and Labelling of Chemicals

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.