

## Chemical Safety Data Sheet MSDS / SDS

## Cesium hydroxide

Revision Date:2026-05-31 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

Product name : Cesium hydroxide  
CBnumber : CB7357929  
CAS : 21351-79-1  
EINECS Number : 244-344-1  
Synonyms : CsOH,cesium hydroxide

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

**Classification of the substance or mixture**

Acute toxicity - Category 4, Oral  
Skin corrosion, Sub-category 1A  
Serious eye damage, Category 1  
Reproductive toxicity, Category 2  
Specific target organ toxicity – repeated exposure, Category 2

**Label elements****Pictogram(s)**

☐

Signal word : Danger

**Hazard statement(s)**

H302 Harmful if swallowed  
H314 Causes severe skin burns and eye damage  
H318 Causes serious eye damage

**Precautionary statement(s)**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P405 Store locked up.

#### **Prevention**

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P203 Obtain, read and follow all safety instructions before use.

#### **Response**

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P316 Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P317 Get medical help.

P318 IF exposed or concerned, get medical advice.

P319 Get medical help if you feel unwell.

#### **Storage**

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards**

no data available

---

## SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : Cesium hydroxide

Synonyms : CsOH, cesium hydroxide

CAS	: 21351-79-1
EC number	: 244-344-1
MF	: CsHO
MW	: 149.91

---

## SECTION 4: First aid measures

### Description of first aid measures

#### If inhaled

Fresh air, rest. Half-upright position. Refer for medical attention.

#### Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Do NOT induce vomiting. Give one or two glasses of water to drink. Refer for medical attention .

### Most important symptoms and effects, both acute and delayed

Excerpt from ERG Guide 157 [Substances - Toxic and/or Corrosive (Non-Combustible / Water-Sensitive)]: TOXIC; inhalation, ingestion or contact (skin, eyes) with vapors, dusts or substance may cause severe injury, burns or death. Reaction with water or moist air may release toxic, corrosive or flammable gases. Reaction with water may generate much heat that will increase the concentration of fumes in the air. Fire will produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016)

### Indication of any immediate medical attention and special treatment needed

Immediate first aid: Remove patient from contact with the material. Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. /Inorganic Bases/Alkaline Corrosives and Related Compounds/

---

## SECTION 5: Firefighting measures

### Extinguishing media

Fires involving cesium hydroxide should be fought upwind and from the maximum distance possible. Isolate the hazard area and deny access to unnecessary personnel. Emergency personnel should stay out of low areas and ventilate closed spaces before entering. Containers of cesium hydroxide may explode in the heat of the fire and should be moved from the fire area if it is possible to do so safely. If this is not possible, cool containers from the sides with water until well after the fire is out. Stay away from the ends of containers. Dikes should be used to contain fire-control water for later disposal. Firefighters should wear a full set of protective clothing and self-contained breathing apparatus when fighting fires involving cesium hydroxide. Structural firefighters' protective clothing may provide limited protection against fires involving cesium hydroxide.


### Specific Hazards Arising from the Chemical

Excerpt from ERG Guide 157 [Substances - Toxic and/or Corrosive (Non-Combustible / Water-Sensitive)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. For UN1796, UN1826, UN2031 at high concentrations and for UN2032, these may act as oxidizers, also consult ERG Guide 140. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Substance may react with water (some violently), releasing corrosive and/or toxic gases and runoff. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated or if contaminated with water. (ERG, 2016)

### Advice for firefighters

In case of fire in the surroundings, use appropriate extinguishing media. In case of fire: keep drums, etc., cool by spraying with water. NO direct contact with water.

### NFPA 704



HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

SPEC.  
 HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Personal protection: chemical protection suit. Sweep spilled substance into plastic or glass containers. Wash away remainder with plenty of water.

### Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Personal protection: chemical protection suit. Sweep spilled substance into plastic or glass containers. Wash away remainder with plenty of water.

### Methods and materials for containment and cleaning up

In the event of a spill or leak involving cesium hydroxide or a solution containing cesium hydroxide, persons not wearing protective equipment and clothing should be restricted from contaminated areas until cleanup is complete. The following steps should be undertaken following a spill or leak: 1. Do not touch the spilled material; stop the leak if it is possible to do so without risk. 2. Notify safety personnel. 3. Do not use water in clean-up. 4. For small dry spills, use a scoop or clean shovel and gently place the material into a clean, dry container, creating as little dust as

possible; cover and remove the container from the spill area. 5. For liquid spills, dilute the contents of cesium hydroxide with water, neutralize the spilled material with dilute acid, absorb with sand or other noncombustible absorbent material, and place into closed containers for later disposal.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Dry. Well closed. Separated from combustible substances, acids, strong oxidants, metals and food and feedstuffs. Cesium hydroxide should be stored in a cool, dry, well-ventilated area in tightly sealed containers that are labeled in accordance with OSHA's hazard communication standard. Cesium hydroxide should not be stored in glass containers. Containers of cesium hydroxide should be protected from physical damage and should be stored separately from acids, organic compounds, metals, oxygen, carbon dioxide, moisture, heat, sparks, and open flame. Because container that formerly contained cesium hydroxide may still hold product residues, they should be handled appropriately.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure limit values

TLV: 2 mg/m<sup>3</sup>, as TWA

#### Biological limit values

no data available

### Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures

#### Eye/face protection

Wear face shield.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use local exhaust or breathing protection.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	Liquid
Colour	Colorless
Odour	no data available
Melting point/freezing point	272°C
Boiling point or initial boiling point and boiling range	100°C at 760 mmHg
Flammability	Noncombustible Solid
Lower and upper explosion limit/flammability limit	no data available
Flash point	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	Strong alkaline reaction. The strongest base known
Kinematic viscosity	no data available
Solubility	Miscible with ethanol.
Partition coefficient n-octanol/water	no data available
Vapour pressure	0 mm Hg (approx) (NIOSH, 2016)
Density and/or relative density	1.72g/mL at 25°C
Relative vapour density	no data available
Particle characteristics	no data available

## SECTION 10: Stability and reactivity

### Reactivity

Reacts violently with water. This generates heat. The substance is a strong base. It reacts violently with acid and is corrosive to metals. Attacks many metals. This produces flammable/explosive gas (hydrogen - see ICSC 0001).

### Chemical stability

no data available

### Possibility of hazardous reactions

CESIUM HYDROXIDE neutralizes acids violently to form salts plus water. Reacts with certain metals (such as aluminum and zinc) to form oxides or hydroxides of the metal and generate gaseous hydrogen. May initiate polymerization reactions in polymerizable organic compounds, especially epoxides. May generate flammable and/or toxic gases with ammonium salts, nitrides, halogenated organics, various metals, peroxides, and hydroperoxides. May serve as a catalyst. Reacts when heated above about 84° C with aqueous solutions of reducing sugars other than sucrose, to evolve toxic levels of carbon monoxide [Bretherick, 5th Ed., 1995].

### Conditions to avoid

no data available

### Incompatible materials

Water, acids, CO<sub>2</sub>, metals (e.g., Al, Pb, Sn, Zn), oxygen [Note: CsOH is a strong base, causing the generation of considerable heat in contact

with water or moisture.]

### **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Cesium/cesium oxides.

---

## **SECTION 11: Toxicological information**

### **Acute toxicity**

- Oral: LD50 Rat oral 570 mg/kg
- Inhalation: no data available
- Dermal: no data available

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/irritation**

no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

no data available

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

The substance is corrosive to the eyes, skin and respiratory tract. Corrosive on ingestion.

### **STOT-repeated exposure**

no data available

### **Aspiration hazard**

A harmful concentration of airborne particles can be reached quickly when dispersed.

---

## **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### **Persistence and degradability**

no data available

### **Bioaccumulative potential**

no data available

### **Mobility in soil**

no data available

### **Other adverse effects**

no data available

---

## SECTION 13: Disposal considerations

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### **UN Number**

ADR/RID: UN2681 (For reference only, please check.)

IMDG: UN2681 (For reference only, please check.)

IATA: UN2681 (For reference only, please check.)

### **UN Proper Shipping Name**

ADR/RID: CAESIUM HYDROXIDE SOLUTION (For reference only, please check.)

IMDG: CAESIUM HYDROXIDE SOLUTION (For reference only, please check.)

IATA: CAESIUM HYDROXIDE SOLUTION (For reference only, please check.)

### **Transport hazard class(es)**

ADR/RID: 8 (For reference only, please check.)

IMDG: 8 (For reference only, please check.)

IATA: 8 (For reference only, please check.)

**Packing group, if applicable**

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

**Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

**Special precautions for user**

no data available

**Transport in bulk according to IMO instruments**

no data available

---

**SECTION 15: Regulatory information****Safety, health and environmental regulations specific for the product in question****European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

**EC Inventory**

Listed.

**United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

**China Catalog of Hazardous chemicals 2015**

Listed.

**New Zealand Inventory of Chemicals (NZIoC)**

Not Listed.

**PICCS**

Listed.

**Vietnam National Chemical Inventory**

Listed.

**IECSC**

Not Listed.

**Korea Existing Chemicals List (KECL)**

Listed.

---

**SECTION 16: Other information****Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pagelD=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pagelD=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

## Other Information

Caesium hydroxide in solution: UN 2681; UN Hazard class:8; UN Packgroup: II,III; Transport Emergency Card: TEC (R)-80GC5-II+III.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.