

## Chemical Safety Data Sheet MSDS / SDS

## Chlorendic anhydride

Revision Date:2026-05-31 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

Product name : Chlorendic anhydride  
CBnumber : CB3264515  
CAS : 115-27-5  
EINECS Number : 204-077-3  
Synonyms : CHLORENDIC ANHYDRIDE,Het anhydride

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

**Classification of the substance or mixture**

Skin irritation, Category 2  
Eye irritation, Category 2  
Specific target organ toxicity – single exposure, Category 3

**Label elements****Pictogram(s)**

☐

Signal word : Warning

**Hazard statement(s)**

H315 Causes skin irritation  
H319 Causes serious eye irritation  
H335 May cause respiratory irritation  
H351 Suspected of causing cancer  
H373 May cause damage to organs through prolonged or repeated exposure  
H412 Harmful to aquatic life with long lasting effects

### Precautionary statement(s)

P201 Obtain special instructions before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P405 Store locked up.

### Prevention

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

### Response

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P319 Get medical help if you feel unwell.

### Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Other hazards

no data available

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: Chlorendic anhydride
Synonyms	: CHLORENDIC ANHYDRIDE, Het anhydride
CAS	: 115-27-5
EC number	: 204-077-3
MF	: C9H2Cl6O3
MW	: 370.83

## SECTION 4: First aid measures

### Description of first aid measures

#### If inhaled

Fresh air, rest. Half-upright position. Refer for medical attention.

#### Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

no data available

### Indication of any immediate medical attention and special treatment needed

#### Absorption, Distribution and Excretion

The pharmacokinetics of chlorendic anhydride was evaluated in 4 male and 8 female Holzman's albino rats that ingested 14C-chlorendic anhydride via gavage in a single dose of 3.65 (Group 1: 2 females), 4.00 (Group 2: 4 females), 5.55 (Group 3: 2 females) or 3.62 mg/kg (Group 4: 4 males). Blood was drawn from females treated with 4 mg/kg at 1, 4, 8, 17, 24, 48, 72 and 96 hr after dosing. Urine and feces were collected daily in the Group 1, 3 and 4 rats. Animals were sacrificed 17, 96, 192 and 192 hr, respectively, after treatment, and selected tissues were excised. Regardless of sex, the primary route of excretion was the feces, 70% of the administered dose being eliminated within the first 72 hr. Only 10% of the administered dose was eliminated in the urine. After 192 hr, the maximum residues present in any tissue were <math>\leq 0.1</math> mg/kg, with the exception of the fat (0.121 mg/kg) and liver (0.296 mg/kg). The blood concentration of chlorendic anhydride peaked 1 hr after dosing and was significantly decreased by 96 hr. The absorption of chlorendic anhydride followed the two-compartment open model. The first compartment was suggested to consist of the blood and selected tissues which equilibrated rapidly, while the second compartment consisted of the fat which was slow in equilibrating and considered a deep reservoir.

---

## SECTION 5: Firefighting measures

### Extinguishing media

In case of fire in the surroundings, use appropriate extinguishing media.


### Specific Hazards Arising from the Chemical

Not combustible. Gives off irritating or toxic fumes (or gases) in a fire.

### Advice for firefighters

In case of fire in the surroundings, use appropriate extinguishing media.

### NFPA 704





HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

---

FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

---

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

---

SPEC.  
 HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Wash away remainder with plenty of water.

### Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Wash away remainder with plenty of water.

### Methods and materials for containment and cleaning up

Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting. Wash away remainder with plenty of water. (Extra personal protection: P2 filter respirator for harmful particles.)

---

## SECTION 7: Handling and storage

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Dry. Well closed. Dry. Well closed.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure limit values

no data available

### Biological limit values

no data available

### Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### Individual protection measures

#### Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

#### Skin protection

Protective gloves. Protective clothing.

#### Respiratory protection

Use local exhaust or breathing protection.

#### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	Solid. Crystalline.
Colour	White.
Odour	no data available
Melting point/freezing point	235 - 239 °C. Atm. press.:1 atm. Remarks:The test substance darkened in colour at approximately 237°C and was found to be light brown on cooling.
Boiling point or initial boiling point and boiling range	266.5 - 322 °C. Atm. press.:1 atm. Remarks:The boiling point range is wide due to endotherms associated with a change in crystal structure.
Flammability	Not combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	no data available
Flash point	81°C(lit.)
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	Readily sol in acetone, benzene, toluene; slightly sol in water, n-hexane, carbon tetrachloride
Partition coefficient n-octanol/water	Pow = Ca. -1.59. Temperature:25 °C.
Vapour pressure	Ca. 0.003 Pa. Temperature:25 °C.
Density and/or relative density	1.76. Temperature:20 °C.
Relative vapour density	13 (vs air)
Particle characteristics	no data available

## SECTION 10: Stability and reactivity

### Reactivity

Reacts with water. This produces chlorendic acid.

### Chemical stability

In aqueous solution, chlorendic anhydride is rapidly hydrolysed to chlorendic acid, with a half-life of approximately one hour.

### Possibility of hazardous reactions

Nonflammable

### Conditions to avoid

no data available

### Incompatible materials

Chlorendic anhydride will react almost quantitatively with excess methanol to form monomethyl chlorendate

### Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /hydrogen chloride/.

---

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 - rat (male) - 2 562 mg/kg bw.
- Inhalation: LC50 - rat (male/female) - > 203 mg/L air.
- Dermal: LD50 - rabbit (male/female) - > 10 000 - < 20 000 mg/kg bw.

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

### **STOT-single exposure**

The substance is irritating to the eyes, skin and respiratory tract.

### **STOT-repeated exposure**

Repeated or prolonged contact may cause skin sensitization. Repeated or prolonged inhalation may cause asthma.

### **Aspiration hazard**

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed.

---

## **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: LC50 - *Danio rerio* (previous name: *Brachydanio rerio*) - > 100 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - > 100 mg/L - 48 h.

Toxicity to algae: EC50 - *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*) - > 97.2 mg/L - 72 h.

Toxicity to microorganisms: EC50 - activated sludge of a predominantly domestic sewage - 670 mg/L - 3 h.

### **Persistence and degradability**

no data available

### **Bioaccumulative potential**

no data available

### **Mobility in soil**

no data available

### **Other adverse effects**

no data available

---

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

### Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

#### EC Inventory

Listed.

#### United States Toxic Substances Control Act (TSCA) Inventory

Listed.

#### China Catalog of Hazardous chemicals 2015

Not Listed.

#### **New Zealand Inventory of Chemicals (NZIoC)**

Listed.

#### **PICCS**

Listed.

#### **Vietnam National Chemical Inventory**

Listed.

#### **IECSC**

Listed.

#### **Korea Existing Chemicals List (KECL)**

Listed.

---

## SECTION 16: Other information

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### **Other Information**

The symptoms of asthma often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Anyone who has shown symptoms of asthma due to this substance should avoid all further contact with this substance.

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.