

Chemical Safety Data Sheet MSDS / SDS

cyclamen aldehyde

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name : cyclamen aldehyde
CBnumber : CB9246702
CAS : 103-95-7
EINECS Number : 203-161-7
Synonyms : CYCLAMEN ALDEHYDE,CYCLAMAL

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

Precautionary statements

P302+P352 IF ON SKIN: wash with plenty of soap and water.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P273 Avoid release to the environment.
P272 Contaminated work clothing should not be allowed out of the workplace.
P264 Wash skin thoroughly after handling.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Hazard statements

H412 Harmful to aquatic life with long lasting effects
H317 May cause an allergic skin reaction
H315 Causes skin irritation

SECTION 3: Composition/information on ingredients

Substance

Product name	: cyclamen aldehyde
Synonyms	: CYCLAMEN ALDEHYDE,CYCLAMAL
CAS	: 103-95-7
EC number	: 203-161-7
MF	: C13H18O
MW	: 190.28

SECTION 4: First aid measures

General advice

Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion

Carbon oxides products


Specific extinguishing methods

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



HEALTH 0 Poses no health hazard, no precautions necessary and would offer no hazard beyond that of ordinary combustible materials

FIRE 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N₂](#))

SPEC.

HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7: Handling and storage

Handling

Avoidance of contact

Strong oxidizing agents

Storage

Further information on storage conditions

Tightly closed.

Storage class

10, Combustible liquids

Recommended storage temperature

Recommended storage temperature see product label.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

protective clothing

Hand protection

Remarks

required

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

liquid (20 °C , 1,013 hPa)

Color

colourless

Odor

Powerful floral-green with a characteristic cucumber-melon note used in floral types.

Odor Threshold

No data available

pH

No data available

Melting point/ range

< -50 °C

Method: OECD Test Guideline 102

GLP: yes

Boiling point/boiling range

270 °C

Method: lit.

Flash point

109 °C

Method: closed cup

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

0.003 hPa (20 °C)

Method: OECD Test Guideline 104

GLP: yes

Relative vapor density

No data available

Relative density

ca. 0.95 (20 °C)

Method: OECD Test Guideline 109

GLP: yes

Density

0.95 g/cm³ (25 °C)

Method: lit.

Water solubility

0.066 g/l slightly soluble (20 °C)

Method: OECD Test Guideline 105

GLP: yes

Partition coefficient: n-octanol/water

log Pow: 3.4 (35 °C)

Method: OECD Test Guideline 117

GLP: yes Bioaccumulation is not expected.

Autoignition temperature

250 °C (1,013.25 hPa)

Method: Regulation (EC) No. 440/2008, Annex, A.15

Decomposition temperature Viscosity: No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

7.1 mm²/s (20 °C)

Method: OECD Test Guideline 114 3.7 mm²/s (40 °C)

Method: OECD Test Guideline 114

Flow time

No data available

Explosive properties

No data available

Oxidizing properties

none

Surface tension

45.9 mN/m, 0.008 g/l, 21 °C, Surface tension, GLP: yes

Molecular weight

190.28 g/mol

Particle characteristics Particle size

No data available

Solubility

Chloroform (Slightly), Ethyl Acetate, Methanol (Slightly)

Physical state

Oil

Viscosity

7.1mm²/s

SECTION 10: Stability and reactivity**Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

Strong heating.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 3,810 mg/kg

Remarks: Behavioral:Ataxia.

Behavioral:Coma.

Skin and Appendages: Other: Hair.

(RTECS)

Inhalation: No data available

LD50 Dermal - Rat - > 5,000 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation.

Behavioral:Somnolence (general depressed activity).

Skin and Appendages: Other: Hair.

(RTECS)

Skin corrosion/irritation

Remarks: Causes skin irritation.

(ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive (OECD Test Guideline 429)

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

RTECS: MW4900000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Ecotoxicity

Components:

Cyclamen aldehyde:

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.4 mg/l End point: Immobilization Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes

Toxicity to algae/aquatic plants

ErC50 (Pseudokirchneriella subcapitata): 4.3 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 0.71 mg/l End point: reproduction rate Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 211 GLP: yes

Toxicity to microorganisms

EC50 (activated sludge): ca. 100 mg/l Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209

Persistence and degradability

Components:

Cyclamen aldehyde:

Biodegradability

aerobic Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 65.5 % Exposure time: 28 d Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Cyclamen aldehyde:

Partition coefficient: noctanol/water

log Pow: 3.4 (35 °C) pH: 7 Method: OECD Test Guideline 117 GLP: yes Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

Not regulated as a dangerous good

UN/ID No. : Not applicable

Proper shipping name : Not applicable

Class : Not applicable

Subsidiary risk : Not applicable

Packing group : Not applicable

Labels : Not applicable

Packing instruction (cargo aircraft) : Not applicable

Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

Not regulated as a dangerous good

UN number : Not applicable

Proper shipping name : Not applicable

Class : Not applicable

Subsidiary risk : Not applicable

Packing group : Not applicable

Labels : Not applicable

EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : Not applicable

Proper shipping name : Not applicable

Class : Not applicable

Subsidiary risk : Not applicable

Packing group : Not applicable

Labels : Not applicable

Environmentally hazardous : no

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Hazardous Chemicals for Priority Management

Not applicable under SAWS

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not applicable

SECTION 16: Other information

Full text of other abbreviations

AiIC - Australian Inventory of Industrial Chemicals

ANTT - National Agency for Transport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN - Standard of the German Institute for Standardisation

DSL - Domestic Substances List (Canada)

EC_x - Concentration associated with x% response

EL_x - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and New Chemical Substances (Japan)

ErC_x - Concentration associated with x% growth rate response

ERG - Emergency Response Guide
 GHS - Globally Harmonised System
 GLP - Good Laboratory Practice
 IARC - International Agency for Research on Cancer
 IATA - International Air Transport Association
 IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 - Half maximal inhibitory concentration
 ICAO - International Civil Aviation Organization
 IECSC - Inventory of Existing Chemical Substances in China
 IMDG - International Maritime Dangerous Goods
 IMO - International Maritime Organisation
 ISHL - Industrial Safety and Health Law (Japan)
 ISO - International Organisation for Standardisation
 KECI - Korea Existing Chemicals Inventory
 LC50 - Lethal Concentration to 50 % of a test population
 LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
 MARPOL - International Convention for the Prevention of Pollution from Ships
 MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods
 n.o.s. - Not Otherwise Specified
 Nch - Chilean Norm
 NO(A)EC - No Observed (Adverse) Effect Concentration
 NO(A)EL - No Observed (Adverse) Effect Level
 NOELR - No Observable Effect Loading Rate
 NOM - Official Mexican Norm
 NTP - National Toxicology Program
 NZIoC - New Zealand Inventory of Chemicals
 OECD - Organisation for Economic Co-operation and Development
 OPPTS - Office of Chemical Safety and Pollution Prevention
 PBT - Persistent, Bioaccumulative and Toxic substance
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 (Q)SAR - (Quantitative) Structure Activity Relationship
 REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
 SADT - Self-Accelerating Decomposition Temperature
 SDS - Safety Data Sheet
 TCSI - Taiwan Chemical Substance Inventory
 TDG - Transportation of Dangerous Goods
 TECI - Thailand Existing Chemicals Inventory
 TSCA - Toxic Substances Control Act (United States)
 UN - United Nations
 UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods
 vPvB - Very Persistent and Very Bioaccumulative
 WHMIS - Workplace Hazardous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.