ChemicalBook

Chemical Safety Data Sheet MSDS / SDS

Dicumyl peroxide

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Dicumyl peroxide
CBnumber	: CB8211170
CAS	: 80-43-3
EINECS Number	: 201-279-3
Synonyms	: DCP,dicumyl peroxide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.
Uses advised against	: none

Company Identification

Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word Danger

Precautionary statements

P370+P378 In case of fire: Use … for extinction.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P235 Keep cool.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Hazard statements

H242 Heating may cause a fire

H315 Causes skin irritation

H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

SECTION 3: Composition/information on ingredients

Substance

Product name	: Dicumyl peroxide
Synonyms	: DCP,dicumyl peroxide
CAS	: 80-43-3
EC number	: 201-279-3
MF	: C18H22O2
MW	: 270.37

SECTION 4: First aid measures

General advice

Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

Carbon oxides

Specific extinguishing methods

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



■	HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. diethyl ether, ammonium phosphate, iodine)
■	FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)
■	REACT	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)
□	SPEC. HAZ.		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Avoidance of contact

Strong acids Strong bases Strong oxidizing agents

Storage

Further information on storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorised persons. Separately or together with other organic peroxides only and away from sources of ignition and heat.

Storage class

5.2, Organic peroxides and self-reacting hazardous materials

Recommended storage temperature

2 - 8 °C

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

protective clothing

Hand protection

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

crystalline

Color

beige

Odor

No data available

Odor Threshold

No data available

pH

No data available

pH

5

Method: OECD Test Guideline 105

Melting point/ range

39.8 °C (1,013 hPa)

Method: Regulation (EC) No. 440/2008, Annex, A.1 : Decomposes below the boiling point.

Flash point

110 °C

Method: closed cup

Evaporation rate

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

< 0.1 hPa (60 °C)

Method: Regulation (EC) No. 440/2008, Annex, A.4

Relative vapor density

9.3 (vs air)

Relative density

1.56 g/mL at 25 °C (lit.)

Density

1.107 g/cm3 (20 °C)

Method: DIN 53217

Water solubility

0.00043 g/l slightly soluble (25 °C)

Partition coefficient: n-octanol/water

log Pow: 5.6 (25 °C)

Method: OECD Test Guideline 117

Autoignition temperature

No data available

Decomposition tempera-: 80 °C ture Method Self-Accelerating decomposition temperature (SADT): UN-Test H.4

Self-Accelerating decomposition temperature (SADT): 90 °C

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

Not explosive

Method: Regulation (EC) No. 440/2008, Annex, A.14

Oxidizing properties

No data available

Molecular weight

270.37 g/mol

Particle characteristics Particle size

No data available

Boiling point or initial boiling point and boiling range

130°C

Solubility

Chloroform (Slightly), DMSO (Slightly), Methanol (Slightly)

Physical state

flakes

SECTION 10: Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The

following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

Strong heating.

Incompatible materials

Strong acids Strong bases Strong oxidizing agents

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - >= 2,000 mg/kg (OECD Test Guideline 401)

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Remarks: Causes serious eye irritation.

(Regulation (EC) No 1272/2008, Annex VI)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: Does not cause skin sensitisation.

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Hamster

Test system: Lungs

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - No observed adverse effect level - 60 mg/kg - Lowest observed adverse effect level - 200 mg/kg

RTECS: SD8150000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After uptake of large quantities: constipation

Other information

Organic peroxides generally show a more or less strongly pronounced irritant effect on skin and mucous membranes. In some cases it has displayed a sensitising effect with allergic manifestations in predisposed persons. Mutagenic properties are asso- ciated with some compounds. The product should be handled with the care due when dealing with chemicals.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

Ecotoxicity

Components:

Bis(α,α-dimethylbenzyl) peroxide:

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0.39 mg/l End point: Immobilization Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes

Toxicity to algae/aquatic plants

EC50 (Pseudokirchneriella subcapitata (algae)): > 20 mg/l Exposure time: 72 h Test Type: Growth inhibition Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes NOEC (Pseudokirchneriella subcapitata (algae)): 3.2 mg/l Exposure time: 72 h Test Type: Growth inhibition Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

EC50 (Daphnia magna (Water flea)): 0.231 mg/l Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 211 GLP: yes

Toxicity to microorganisms

NOEC (Sludge Treatment): > 1,000 mg/l Exposure time: 30 min Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity

Toxic to aquatic life.

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

Bis(α,α-dimethylbenzyl) peroxide:

Biodegradability

aerobic Inoculum: activated sludge Concentration: 100 mg/l Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d Method: Regulation (EC) No. 440/2008, Annex, C.4-D GLP: yes

Bioaccumulative potential

Components:

Bis(α,α-dimethylbenzyl) peroxide:

Bioaccumulation

Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 137 - 1,470 Exposure time: 56 d Concentration: 0.01 mg/l Method: OECD Test Guideline 305C

Partition coefficient: noctanol/water

log Pow: 5.6 (25 °C) Method: OECD Test Guideline 117 Remarks: Potential bioaccumulation

Mobility in soil

Components:

Bis(α,α-dimethylbenzyl) peroxide:

Stability in soil

Remarks: No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 3110

Proper shipping name : Organic peroxide type F, solid (Dicumyl peroxide)

Class : 5.2

Packing group : Not assigned by regulation

Labels : Division 5.2 - Organic peroxides, Handling Label Keep Away From Heat

Packing instruction (cargo aircraft) : 570

Packing instruction (passenger aircraft) : 570

IMDG-Code

UN number : UN 3110

Proper shipping name : ORGANIC PEROXIDE TYPE F, SOLID (DICUMYL PEROXIDE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2

EmS Code : F-J, S-R

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 3110

Proper shipping name : ORGANIC PEROXIDE TYPE F, SOLID

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

W7.2 Organic peroxides 50 t

Hazardous Chemicals for Priority Management

Not listed under SAWS

Catalogue of Specially Controlled Hazardous

Not listed Chemicals

List of Explosive Precursors

Listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals

Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals

Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances

Not listed

List of Controlled Ozone Depleting Substances Import and Export

Not listed

Environmental Protection Law

List of Priority Controlled Chemicals

Not listed

List of Key Controlled New Pollutants

Not listed

SECTION 16: Other information

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals

ANTT - National Agency forTransport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN -Standard of the German Institute for Standardisation

DSL - Domestic SubstancesList (Canada)

ECx - Concentration associated with x% response

ELx - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and NewChemical Substances (Japan)

ErCx - Concentration associated with x% growth rate response

ERG - Emergency Response Guide

GHS - Globally Harmonized System

GLP - Good Laboratory Practice

IARC - International Agency for Research on Can- cer

IATA - International Air Transport Association

IBC - International Code for theConstruction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 -Half maximal inhibitory concentration

ICAO - International Civil Aviation Organiza- tion

IECSC - Inventory of Existing Chemical Substances in China

IMDG - Interna- tional Maritime Dangerous Goods

IMO - International Maritime Organization

ISHL -Industrial Safety and Health Law (Japan)

ISO - International Organisation forStandardization

KECI - Korea Existing Chemicals Inventory

LC50 - Lethal Concen- tration to 50 % of a test population

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)

MARPOL - International Convention for the Prevention of Pol- lution from Ships

n.o.s. - Not Otherwise Specified

Nch - Chilean Norm

NO(A)EC -No Observed (Adverse) Effect Concentration

NO(A)EL - No Observed (Adverse) Ef- fect Level

NOELR - No Observable Effect Loading Rate

NOM - Official MexicanNorm

NTP - National Toxicology Program

NZIoC - New Zealand Inventory of Chem- icals

OECD - Organization for Economic Co-operation and Development

OPPTS - Of- fice of Chemical Safety and Pollution Prevention

PBT - Persistent, Bioaccumulative and Toxic substance

PICCS - Philippines Inventory of Chemicals and Chemical Sub- stances

(Q)SAR - (Quantitative) Structure Activity Relationship

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning theRegistration, Evaluation, Authorisation and Restriction of Chemicals

SADT - Self-Accelerating Decomposition Temperature

SDS - Safety Data Sheet

TCSI - TaiwanChemical Substance Inventory

TDG - Transportation of Dangerous Goods

TECI -Thailand Existing Chemicals Inventory

TSCA - Toxic Substances Control Act (UnitedStates)

UN - United Nations

UNRTDG - United Nations Recommendations on theTransport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

WHMIS - Workplace Hazardous Materials Information System