

## Chemical Safety Data Sheet MSDS / SDS

**Disodium methylarsonate**

Revision Date:2026-05-31 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : Disodium methylarsonate  
CBnumber : CB7852121  
CAS : 144-21-8  
EINECS Number : 205-620-7  
Synonyms : Dsma,Dimet

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P321 Specific treatment (see ... on this label).  
P330 Rinse mouth.  
P405 Store locked up.  
P501 Dispose of contents/container to.....  
P273 Avoid release to the environment.  
P391 Collect spillage. Hazardous to the aquatic environment  
P501 Dispose of contents/container to.....

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P311 Call a POISON CENTER or doctor/physician.

P321 Specific treatment (see ... on this label).

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### **Hazard statements**

H301 Toxic if swallowed

H410 Very toxic to aquatic life with long lasting effects

H331 Toxic if inhaled

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name : Disodium methylarsonate

Synonyms : Dsma,Dimet

CAS : 144-21-8

EC number : 205-620-7

MF : CH<sub>3</sub>AsO<sub>3</sub>·2Na

MW : 183.94

---

## SECTION 4: First aid measures

### **First Aid Measures**

#### **General advice**

Immediate medical attention is required.

#### **Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician immediately.

#### **Skin Contact**

Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

#### **Inhalation**

Immediate medical attention is required Remove to fresh air If not breathing, give artificial respiration Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation

#### **Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Drink plenty of water.

#### **Self-protection of the first aider**

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

## **Most important symptoms and effects, both acute and delayed**

### **Symptoms**

No information available.

## **Indication of any immediate medical attention and special treatment needed**

### **Note to physicians**

Treat symptomatically.

---

## SECTION 5: Firefighting measures

### **Suitable Extinguishing Media**

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

No information available.

### **Specific hazards arising from the chemical**

#### **Specific hazards arising from the chemical**

No information available.

#### **Hazardous combustion products**

Carbon oxides.

### **Explosion data**

#### **Sensitivity to Mechanical Impact**

No information available.

#### **Sensitivity to Static Discharge**

No information available.

### **Protective equipment and precautions for firefighters**

#### **Protective equipment and precautions for firefighters**

As in any fire, wear self contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

---

## SECTION 6: Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Use personal protective equipment as required. Keep people away from and upwind of spill/leak.

#### **Environmental precautions**

##### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

### Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

### Methods for cleaning up

Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store at room temperature.

#### Incompatible materials

None known based on information supplied.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Exposure Guidelines

.

#### Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Column 1	Column 2	Column 3	Column 4
Disodium methyl arsenate Hexahydrate 144-21-8-		TWA: 0.5 mg/m <sup>3</sup> As-	

### Appropriate engineering controls

#### Engineering Controls

Showers

Eyewash stations

Ventilation systems

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.

#### **Skin and Body Protection**

Wear protective gloves and protective clothing.

#### **Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### **General Hygiene Considerations**

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs.

---

## SECTION 9: Physical and chemical properties

### **Information on basic physicochemical properties**

Physical State	Solid
Appearance	crystalline
Odor	No information available
pH	No information available
Melting point/freezing point	132 °C
Boiling point	165°C
Flash point	No information available
Liquid Density	1.04 g/cm <sup>3</sup>
Evaporation rate	No information available
Upper flammability limits	No information available
Lower flammability limit	No information available
Vapor pressure	0 mmHg
Vapor density	No information available
Specific gravity	1.04
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Density and/or relative density	1.1500
Solubility	Water (Sparingly)
Colour	White to Off-White

---

## SECTION 10: Stability and reactivity

**Reactivity**

Not applicable

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization**

No information available.

**Conditions to avoid**

Exposure to air or moisture over prolonged periods.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**

Carbon oxides.

---

## SECTION 11: Toxicological information

**Information on likely routes of exposure****Inhalation**

Classified based on available data. For more details, see section 2.

**Eye contact**

Classified based on available data. For more details, see section 2.

**Skin Contact**

Classified based on available data. For more details, see section 2.

**Ingestion**

Classified based on available data. For more details, see section 2.

**Information on toxicological effects****Symptoms**

Classified based on available data. For more details, see section 2.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Chronic Toxicity**

May cause adverse liver effects. Contains a known or suspected reproductive toxin. Target Organ Effects Reproductive System, Gastrointestinal tract (GI), Central nervous system, Respiratory system, Kidney, Liver, Skin. Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

**Chemical name ACGIH IARC NTP OSHA**

## Disodium methyl arsenate - Group

1 Known X Hexahydrate 144-21-8

### Numerical measures of toxicity - Product Information

#### Unknown acute toxicity

Classified based on available data. For more details, see section 2

The following values are calculated based on chapter 3.1 of the GHS document

#### ATEmix (oral)

100 mg/kg

#### ATEmix (dermal)

10000 mg/kg

#### ATEmix (inhalation-dust/mist)

0.5 mg/l

#### ATEmix (inhalation-vapor)

22100 mg/l

---

## SECTION 12: Ecological information

### Ecotoxicity

Very toxic to aquatic life with long lasting effects

0% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

### Mobility

No information available.

---

## SECTION 13: Disposal considerations

### Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated packaging

Do not reuse container.

### Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

### DOT

**UN/ID no**

UN1557

**Hazard Class**

6.1

**Packing Group**

II

**Proper shipping name**

Arsenic compounds, solid, n.o.s.

**Description**

UN1557, Arsenic compounds, solid, n.o.s. (Disodium methyl arsenate Hexahydrate), 6.1, II

**Emergency Response Guide Number**

152

### IMDG

**UN/ID no**

UN1557

**Hazard Class**

6.1

**Packing Group**

II

**Proper shipping name**

Arsenic compound, solid, n.o.s.

**Description**

UN1557, Arsenic compound, solid, n.o.s. (Disodium methyl arsenate Hexahydrate), 6.1, II, Marine pollutant

**Special Provisions**

274, 43

**EmS-No**

F-A, S-A

### IATA

**UN/ID no**

UN1557

**Hazard Class**

6.1

**Packing Group**

II

**Proper shipping name**

Arsenic compound, solid, n.o.s.

**Description**

UN1557, Arsenic compound, solid, n.o.s., 6.1, II

**ERG Code**

6L

**SECTION 15: Regulatory information****International Inventories**

All of the components in the product are on the following Inventory lists

Europe (EINECS/ELINCS/NLP) Australia (AICS) China (IECSC) ENCS (Japan):

X - Listed

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Chemical name	TSCA	DSL	NDL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Disodium methyl arsenate Hexahydrate	-	-	-	X	-	X	X	-	-	X

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories****Acute health hazard**

Yes

**Chronic Health Hazard**

Yes

**Fire hazard**

No

**Sudden release of pressure hazard**

No

**Reactive hazard**

No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
Disodium methyl arsenate		X		

Hexahydrate 144-21-8				
----------------------	--	--	--	--

## US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Disodium methyl arsenate Hexahydrate 144-21-8	X	Not Listed	X

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.