

Chemical Safety Data Sheet MSDS / SDS

Ethylmagnesium chloride

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Ethylmagnesium chloride
CBnumber : CB5467730
CAS : 2386-64-3
EINECS Number : 219-206-9
Synonyms : ethylmagnesium chloride, Ethylmagnesium chloride solution

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P403+P235 Store in a well-ventilated place. Keep cool.

P402+P404 Store in a dry place. Store in a closed container.

P370+P378 In case of fire: Use ... for extinction.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P231+P232 Handle under inert gas. Protect from moisture.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

P271 Use only outdoors or in a well-ventilated area.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thoroughly after handling.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P240 Ground/bond container and receiving equipment.

P233 Keep container tightly closed.

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.

Hazard statements

H333 May be harmful if inhaled

H318 Causes serious eye damage

H303 May be harmful if swallowed

H336 May cause drowsiness or dizziness

H302 Harmful if swallowed

H351 Suspected of causing cancer

H335 May cause respiratory irritation

H314 Causes severe skin burns and eye damage

H260 In contact with water releases flammable gases which may ignite spontaneously

H225 Highly Flammable liquid and vapour

H372 Causes damage to organs through prolonged or repeated exposure

H371 May cause damage to organs

SECTION 3: Composition/information on ingredients

Substance

Product name	: Ethylmagnesium chloride
Synonyms	: ethylmagnesium chloride, Ethylmagnesium chloride solution
CAS	: 2386-64-3
EC number	: 219-206-9
MF	: C ₂ H ₅ ClMg
MW	: 88.82

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

Water Foam

Specific hazards during fire fighting

Mixture with combustible ingredients. Pay attention to flashback. Vapours are heavier than air and may spread along floors. May not get in touch with: Water Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

Hazardous combustion products

Carbon oxides Hydrogen chloride gas Magnesium oxide

Specific extinguishing methods


Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704





HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. liquid hydrogen , sulfuric acid , calcium hypochlorite , hexafluorosilicic acid)
FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, acetone)
REACT	2	Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, potassium , sodium)
SPEC.		
HAZ.		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material . Dispose of properly. Clean up affected area.

SECTION 7: Handling and storage

Handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep workplace dry. Do not allow product to come into contact with water.

Avoidance of contact

Oxidizing agents Oxygen

Storage

Further information on storage conditions

Tightly closed. Keep away from heat and sources of ignition.

Materials to avoid

Never allow product to get in contact with water during storage.

Storage class

4.3, Hazardous materials, which set free flammable gases upon contact with water

Recommended storage temperature

Recommended storage temperature see product label.

Further information on storage stability

Test for peroxide formation periodically and before distillation.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Biological occupational exposure limits

Tetrahydrofuran 109-99-9 Tetrahy- Urine End of 2 mg/l ACGIH drofuran shift BEI (As soon as possible after exposure ceases)

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection

Flame retardant antistatic protective clothing.

Hand protection

Material

butyl-rubber

Break through time

10 min

Glove thickness

0.3 mm

Protective index

Splash contact

Manufacturer

Butoject® (KCL 897 / Aldrich Z677647, Size M)

Manufacturer

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

Remarks

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

liquid

Color

dark brown

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/ range

No data available

Boiling point/boiling range

66 °C

Flash point

-17 °C

Method: closed cup

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

1.00 g/mL at 20 °C

Density

0.978 g/cm³

Water solubility

reacts

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

Not classified as explosive.

Oxidizing properties

none

Molecular weight

88.82 g/mol

Particle characteristics Particle size

No data available

Physical state

Solution

SECTION 10: Stability and reactivity

Reactivity

Formation of peroxides possible. Vapours may form explosive mixture with air.

Chemical stability

Sensitive to air. sensitive to moisture

Possibility of hazardous reactions

No data available

Conditions to avoid

Exposure to air. Warming. Moisture.

Incompatible materials

Oxidizing agents Oxygen

Hazardous decomposition products

Peroxides : In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects**Mixture Acute toxicity**

Oral: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

Remarks: Mixture causes burns.

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Evidence of a carcinogenic effect.

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Mixture may cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache,

Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Components Tetrahydrofuran

Acute toxicity

LD50 Oral - Rat - male and female - 1,650 mg/kg

Remarks: (ECHA)

Symptoms: Irritation of mucous membranes

LC50 Inhalation - Rat - male and female - 6 h - > 14.7 mg/l - vapour (US-EPA)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 72 h (Draize Test)

Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation.

Remarks: (IUCLID)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: negative

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause drowsiness or dizziness.

Acute oral toxicity - Irritation of mucous membranes

Specific target organ toxicity - repeated exposure Aspiration hazard

Classified based on available data. For more details, see section 2

Chloroethylmagnesium Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

SECTION 12: Ecological information

Ecotoxicity**Components:****Tetrahydrofuran:****Toxicity to fish**

LC50 (Pimephales promelas (fathead minnow)): 2,160 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,485 mg/l End point: mortality Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202

Toxicity to fish (Chronic toxicity)

NOEC (Pimephales promelas (fathead minnow)): 216 mg/l End point: Growth inhibition Exposure time: 33 d Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA)

Chloroethylmagnesium:**Toxicity to fish**

Remarks: No data available

Persistence and degradability**Components:****Tetrahydrofuran:****Biodegradability**

aerobic Inoculum: activated sludge Concentration: 2 mg/l Biochemical oxygen demand Result: Not readily biodegradable. Biodegradation: 39 % Exposure time: 28 d Method: OECD Test Guideline 301D

Chloroethylmagnesium:**Biodegradability**

Remarks: No data available

Bioaccumulative potential**Components:**

Tetrahydrofuran:**Partition coefficient: noctanol/water**

log Pow: 0.45 (25 °C) Method: OECD Test Guideline 107 Remarks: Bioaccumulation is not expected.

Chloroethylmagnesium:**Bioaccumulation**

Remarks: No data available

Mobility in soil**Components:****Chloroethylmagnesium:****Stability in soil**

Remarks: No data available

Other adverse effects**Components:****Tetrahydrofuran:****Results of PBT and vPvB assessment**

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Chloroethylmagnesium:**Additional ecological information**

No data available

SECTION 13: Disposal considerations

Disposal methods**Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations**IATA-DGR**

UN/ID No. : UN 3399

Proper shipping name : Organometallic substance, liquid, water-reactive, flammable (Tetrahydrofuran, Chloroethylmagnesium)

Class : 4.3

Subsidiary risk : 3

Packing group : I

Labels : Division 4.3 - Substances which in contact with water emit flammable gases, Class 3 - Flammable liquids

Packing instruction (cargo aircraft) : 494

Packing instruction (passenger aircraft) : Not permitted for transport

IMDG-Code

UN number : UN 3399

Proper shipping name : ORGANOMETALLIC SUBSTANCE, LIQUID, WATERREACTIVE, FLAMMABLE (Tetrahydrofuran, Chloroethylmagnesium)

Class : 4.3

Subsidiary risk : 3

Packing group : I

Labels : 4.3 (3)

EmS Code : F-G, S-N

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 3399

Proper shipping name : ORGANOMETALLIC SUBSTANCE, LIQUID, WATERREACTIVE, FLAMMABLE (Tetrahydrofuran, Chloroethylmagnesium)

Class : 4.3

Subsidiary risk : 3

Packing group : I

Labels : 4.3 (3)

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

W5.3 Flammable liquids 1,000 t

W11 Substances and mixtures which in 200 t contact with water, emit flammable gases

Hazardous Chemicals for Priority Management

Not applicable under SAWS

Catalogue of Specially Controlled Hazardous

Not listed Chemicals

List of Explosive Precursors

Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not applicable

Measures on the Environmental Administration of New Chemical Substances Registration

Registration/Notification number

B1A222223498

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals

Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances

Not listed

List of Controlled Ozone Depleting Substances Import and Export

Not listed

Environmental Protection Law

List of Priority Controlled Chemicals

Not listed

List of Key Controlled New Pollutants

Not listed

SECTION 16: Other information

Full text of other abbreviations

ACGIH

USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA

8-hour, time-weighted average

ACGIH / STEL

Short-term exposure limit

GBZ 2.1-2007 / PC-TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; **CMR** Standard of the German List (Canada); **ECx** - Conc associated with x% respo Chemical Substances (Jap response); **ERG** - Emerge GLP - Good Laboratory P cer; **IATA** - International Construction and Equipm Half maximal inhibitory c tion; **IECSC** - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; **KECI** - K tration to 50 % of a test (Median Lethal Dose); **MA** lution from Ships; **MERC** of Dangerous Goods; **n.o.** - No Observed (Adverse) fect Level; **NOELR** - No Norm; **NTP** - National Toxi icals; **OECD** - Organisatio fice of Chemical Safety a and Toxic substance; **PIC** stances; **(Q)SAR** - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemicala States); **UN** - United Nat Transport of Dangerous **WHMIS** - Workplace Hazar

Permissible concentration - time weighted average ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonised System

actice

IARC - International Agency for Research on Cancer Transport Association
 IBC - International Code for the Transport of Ships carrying Dangerous Chemicals in Bulk
 LC50 - Lethal Concentration
 ICAO - International Civil Aviation Organization - Existing Chemical Substances in China
 IMDG - International Maritime Dangerous Goods
 IMO - International Maritime Organisation
 ISHL - International Safety Law (Japan)
 ISO - International Organisation for Standardisation
 LC50 - Lethal Concentration
 LD50 - Lethal Dose to 50% of a test population
 POL - International Convention for the Prevention of Pollution from Ships
 SUR - The Agreement for the Facilitation of Transport - Not Otherwise Specified
 NCh - Chilean Norm
 NO(A)EC - No Observed Effect Concentration
 NO(A)EL - No Observed (Adverse) Effect Loading Rate
 NOM - Official Mexican Standard
 NZIoC - New Zealand Inventory of Chemicals for Economic Co-operation and Development
 OPPTS - Office of Pollution Prevention and Control
 PBT - Persistent, Bioaccumulative and Toxic - Philippines Inventory of Chemicals and Chemical Substances Structure Activity Relationship
 REACH - Regulation of the European Parliament and of the Council concerning the Restriction of Chemicals
 SADT - Self-Heating Temperature
 SDS - Safety Data Sheet
 TCSI - Taiwan Chemical Safety Information
 TDG - Transportation of Dangerous Goods
 TECL - Toxicity Inventory
 TSCA - Toxic Substances Control Act (United States)
 UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods
 vPvB - Very Persistent and Very Bioaccumulative
 GHS - Globally Harmonized System of Classification and Labelling of Chemicals

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.