

## Chemical Safety Data Sheet MSDS / SDS

**HEXADECYLTRIMETHOXYSILANE**Revision Date:2026-05-31 Revision Number:1

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : HEXADECYLTRIMETHOXYSILANE  
CBnumber : CB8711852  
CAS : 16415-12-6  
EINECS Number : 240-464-3  
Synonyms : HEXADECYLTRIMETHOXYSILANE,N-HEXADECYLTRIMETHOXYSILANE

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

---

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

**Hazard statements**

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

**SECTION 3: Composition/information on ingredients**

---

## Substance

Product name	: HEXADECYLTRIMETHOXY SILANE
Synonyms	: HEXADECYLTRIMETHOXY SILANE, N-HEXADECYLTRIMETHOXY SILANE
CAS	: 16415-12-6
EC number	: 240-464-3
MF	: C19H42O3Si
MW	: 346.62

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

#### In case of skin contact

Wash off with soap and plenty of water.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 4.4 Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides silicon oxides

Combustible.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

SPEC.  
 HAZ.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapors, mist or gas.

For personal protection see section 8.

### 6.2 Environmental precautions

No special environmental precautions required.

### 6.3 Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive.

#### Storage class

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Appropriate engineering controls

General industrial hygiene practice.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

##### Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### Respiratory protection

Respiratory protection not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

##### Control of environmental exposure

No special environmental precautions required.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

a) Physical state	liquid
b) Color	Colorless to Almost colorless
c) Odor	No data available
d) Melting point/freezing point	Melting point: 1.4 °C at 1,005 hPa - OECD Test Guideline 102
e) Initial boiling point and boiling range	350 °C at 1,005 hPa - OECD Test Guideline 103
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	165 °C - closed cup
i) Autoignition temperature	245 °C - DIN 51794
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	2µg/L at 20°C
n) Partition coefficient n-octanol/water	No data available
o) Vapor pressure	0Pa at 20°C
p) Density	0.89 g/cm <sup>3</sup> at 20.2 °C - OECD Test Guideline 109
Relative density	0.89 g/mL at 20 °C (lit.)
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

### 9.2 Other safety information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Chemical stability

Stable under recommended storage conditions.

### 10.2 Possibility of hazardous reactions

No data available

### 10.3 Conditions to avoid

No data available

### 10.4 Incompatible materials

No data available

## 10.5 Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 423)

Inhalation: No data available

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Remarks: The value is given in analogy to the following substances: trimethoxyoctadecylsilane

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative (OECD Test Guideline 406)

### Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

### Carcinogenicity

Classified based on available data. For more details, see section 2

### Reproductive toxicity

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

### Aspiration hazard

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish semi-static test LL50 - *Danio rerio* (zebra fish) - > 1,000 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia static test EL50 - *Daphnia magna* (Water flea) - > 100 mg/l - 48 h and other aquatic (OECD Test Guideline 202)  
invertebrates

Toxicity to algae static test EL50 - *Desmodesmus subspicatus* (green algae) - > 31.8 mg/l - 96 h (OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic Biochemical oxygen demand - Exposure time 28 d

Result: 43 % - Not readily biodegradable.

(OECD Test Guideline 301C)

Remarks: (in analogy to similar compounds)

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: -

IMDG: -

IATA-DGR: -

### 14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA-DGR: Not dangerous goods

### 14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA-DGR: -

### 14.4 Packaging group

ADR/RID: -

IMDG: -

IATA-DGR: -

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA-DGR: no

### 14.6 Special precautions for user

### 14.7 Incompatible materials

Further information: Not classified as dangerous in the meaning of transport regulations.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.