

## Chemical Safety Data Sheet MSDS / SDS

## Hexyl benzoate

Revision Date:2026-05-31 Revision Number:1

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

Product name : Hexyl benzoate  
CBnumber : CB8754305  
CAS : 6789-88-4  
EINECS Number : 229-856-5  
Synonyms : Hexyl Benzoate,n-Hexyl benzoate

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

---

## SECTION 2: Hazards identification

**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

**Precautionary statements**

P302+P352 IF ON SKIN: wash with plenty of soap and water.

**Hazard statements**

H315 Causes skin irritation

## SECTION 3: Composition/information on ingredients

**Substance**

Product name : Hexyl benzoate  
Synonyms : Hexyl Benzoate,n-Hexyl benzoate

CAS : 6789-88-4  
EC number : 229-856-5  
MF : C13H18O2  
MW : 206.28

---

## SECTION 4: First aid measures

### General advice

Show this safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Specific hazards during fire fighting

Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

### Hazardous combustion products

Carbon oxides


### Specific extinguishing methods

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

---

## SECTION 7: Handling and storage

### Handling

**Avoidance of contact**

Strong oxidizing agents

**Storage****Further information on storage conditions**

Tightly closed.

**Storage class**

10, Combustible liquids

**Recommended storage temperature**

Recommended storage temperature see product label.

---

## SECTION 8: Exposure controls/personal protection

**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures**

No data available

**Personal protective equipment****Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Recommended Filter type**

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

**Skin and body protection**

protective clothing

**Hand protection****Material**

butyl-rubber

**Break through time**

480 min

**Glove thickness**

0.3 mm

**Protective index**

Full contact

**Manufacturer**

Butoject® (KCL 897 / Aldrich Z677647, Size M)

**Material**

Nitrile rubber

**Break through time**

60 min

**Glove thickness**

0.4 mm

**Protective index**

Splash contact

**Manufacturer**

Camatril® (KCL 730 / Aldrich Z677442, Size M)

**Manufacturer**

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

**Remarks**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

liquid

**Color**

Colorless to Almost colorless

**Odor**

at 100.00 %. fresh balsam sappy clean woody

**Odor Threshold**

No data available

**pH**

No data available

**Melting point/ range**

No data available

**Boiling point/boiling range**

272 °C

Method: lit.

**Flash point**

> 113.00 °C

Method: closed cup

**Evaporation rate**

No data available

**Flammability (solid, gas)**

No data available

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Upper explosion limit / Upper flammability limit**

No data available

**Lower explosion limit / Lower flammability limit**

No data available

**Vapor pressure**

0.2Pa at 24°C

**Relative vapor density**

No data available

**Relative density**

0.98 g/mL at 25 °C(lit.)

**Density**

0.98 g/mL (25 °C)

Method: lit.

**Water solubility**

15.1mg/L at 24°C

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

No data available

### **Decomposition temperature**

No data available

### **Viscosity, dynamic**

No data available

### **Viscosity, kinematic**

No data available

### **Flow time**

No data available

### **Explosive properties**

Not classified as explosive.

### **Oxidizing properties**

none

### **Molecular weight**

206.28 g/mol

### **Particle characteristics Particle size**

No data available

### **Solubility**

Insoluble in water

### **Physical state**

clear liquid

---

## SECTION 10: Stability and reactivity

### **Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### **Possibility of hazardous reactions**

Violent reactions possible with: Strong oxidizing agents

### **Conditions to avoid**

Strong heating.

## Incompatible materials

Strong oxidizing agents

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - 12,300 mg/kg

Inhalation: No data available

LD50 Dermal - Rabbit - 20,580 mg/kg

### Skin corrosion/irritation

Skin - Rabbit

Result: Moderate skin irritation - 24 h

### Serious eye damage/eye irritation

Remarks: No data available

### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

### Germ cell mutagenicity

Classified based on available data. For more details, see section 2

### Carcinogenicity

Classified based on available data. For more details, see section 2

### Reproductive toxicity

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

### Aspiration hazard

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

RTECS: DH1490000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

# SECTION 12: Ecological information

## Ecotoxicity

## Components:

**Hexyl benzoate:****Toxicity to fish**

Remarks: No data available

**Toxicity to daphnia and other aquatic invertebrates**

EC50 (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 48 h Test Type: semi-static test

**Toxicity to algae/aquatic plants**

EC50 (Selenastrum capricornutum (green algae)): 0.41 mg/l Exposure time: 72 h Test Type: static test

**M-Factor (Acute aquatic toxicity)**

1

**M-Factor (Chronic aquatic toxicity)**

1

**Persistence and degradability****Components:****Hexyl benzoate:****Biodegradability**

Remarks: No data available

**Bioaccumulative potential****Components:****Hexyl benzoate:****Bioaccumulation**

Remarks: No data available

**Mobility in soil****Components:****Hexyl benzoate:****Stability in soil**

Remarks: No data available

**Other adverse effects****Components:****Hexyl benzoate:****Additional ecological information**

No data available

## SECTION 13: Disposal considerations

### Disposal methods

#### Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

### International Regulations

#### IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Hexyl benzoate)

Class : 9

Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and articles

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

#### IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexyl benzoate)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### JT/T 617

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexyl benzoate)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : no

## **Special precautions for user**

Remarks : EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous

Goods > 5L for liquids or > 5kg for solids.

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## **SECTION 15: Regulatory information**

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

### **National regulatory information**

#### **Regulations on Safety Management of Hazardous Chemicals**

#### **Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)**

Not listed

#### **Hazardous Chemicals for Priority Management**

Not listed under SAWS

#### **Catalogue of Specially Controlled Hazardous**

Not listed Chemicals

#### **List of Explosive Precursors**

Not listed

#### **Regulations on Labour Protection in Workplaces where Toxic Substances are Used**

#### **Catalogue of Highly Toxic Chemicals**

Not listed

#### **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

#### **China Severely Restricted Toxic Chemicals for Import and Export**

Not listed

#### **Regulation on the Administration of Precursor Chemicals**

#### **Catalogue and Classification of Precursor Chemicals**

Not listed

## **Regulations on the Administration of Controlled Chemicals**

### **List of Controlled Chemicals**

Not listed

## **Regulations of Ozone Depleting Substances Management**

### **List of Controlled Ozone Depleting Substances**

Not listed

### **List of Controlled Ozone Depleting Substances Import and Export**

Not listed

## **Environmental Protection Law**

### **List of Priority Controlled Chemicals**

Not listed

### **List of Key Controlled New Pollutants**

Not listed

---

## **SECTION 16: Other information**

### **Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals

ANTT - National Agency for Transport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN - Standard of the German Institute for Standardisation

DSL - Domestic Substances List (Canada)

EC<sub>x</sub> - Concentration associated with x% response

EL<sub>x</sub> - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and New Chemical Substances (Japan)

ErC<sub>x</sub> - Concentration associated with x% growth rate response

ERG - Emergency Response Guide

GHS - Globally Harmonized System

GLP - Good Laboratory Practice

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC<sub>50</sub> - Half maximal inhibitory concentration

ICAO - International Civil Aviation Organization

IECSC - Inventory of Existing Chemical Substances in China  
IMDG - International Maritime Dangerous Goods  
IMO - International Maritime Organization  
ISHL -Industrial Safety and Health Law (Japan)  
ISO - International Organisation for Standardization  
KECI - Korea Existing Chemicals Inventory  
LC50 - Lethal Concentration to 50 % of a test population  
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)  
MARPOL - International Convention for the Prevention of Pollution from Ships  
n.o.s. - Not Otherwise Specified  
Nch - Chilean Norm  
NO(A)EC -No Observed (Adverse) Effect Concentration  
NO(A)EL - No Observed (Adverse) Effect Level  
NOELR - No Observable Effect Loading Rate  
NOM - Official Mexican Norm  
NTP - National Toxicology Program  
NZIoC - New Zealand Inventory of Chemicals  
OECD - Organization for Economic Co-operation and Development  
OPPTS - Office of Chemical Safety and Pollution Prevention  
PBT - Persistent, Bioaccumulative and Toxic substance  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
(Q)SAR - (Quantitative) Structure Activity Relationship  
REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals  
SADT - Self-Accelerating Decomposition Temperature  
SDS - Safety Data Sheet  
TCSI - Taiwan Chemical Substance Inventory  
TDG - Transportation of Dangerous Goods  
TECI -Thailand Existing Chemicals Inventory  
TSCA - Toxic Substances Control Act (United States)  
UN - United Nations  
UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods  
vPvB - Very Persistent and Very Bioaccumulative  
WHMIS - Workplace Hazardous Materials Information System

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.