

## Chemical Safety Data Sheet MSDS / SDS

**LEAD(II) TARTRATE**

Revision Date:2026-05-31 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : LEAD(II) TARTRATE  
CBnumber : CB7230697  
CAS : 815-84-9  
EINECS Number : 212-426-6  
Synonyms : NSC 1914;Lead tartrat

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P405 Store locked up.  
P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P201 Obtain special instructions before use.

**Hazard statements**

H410 Very toxic to aquatic life with long lasting effects  
H400 Very toxic to aquatic life  
H373 May cause damage to organs through prolonged or repeated exposure  
H360 May damage fertility or the unborn child

H332 Harmful if inhaled  
H302 Harmful if swallowed

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name : LEAD(II) TARTRATE  
Synonyms : NSC 1914;Lead tartrat  
CAS : 815-84-9  
EC number : 212-426-6  
MF : C4H8O6Pb  
MW : 359.3

---

## SECTION 4: First aid measures

### General Advice

If symptoms persist, call a physician.

### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

### Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

### Most important symptoms and effects

None reasonably foreseeable.

### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Notes to Physician

Treat symptomatically.

---

## SECTION 5: Firefighting measures

## Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

## Extinguishing media which must not be used for safety reasons

No information available.


## Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses.

## Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

### Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

---

## SECTION 7: Handling and storage

### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

### Storage

Keep container tightly closed in a dry and well-ventilated place.

### Specific Use(s)

Use in laboratories

---

## SECTION 8: Exposure controls/personal protection

### Control Parameters

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Butanedioic acid, 2,3-dihydroxy- [R-(R*,R*)]-, lead(2+) salt (1:1)			IDLH: 100 mg/m <sup>3</sup> REL = 0.050 mg/m <sup>3</sup> (TWA)	STEL: 0.45 mg/m <sup>3</sup> 15 min TWA: 0.15 mg/m <sup>3</sup> 8 hr	

### Legend

#### NIOSH

NIOSH - National Institute for Occupational Safety and Health

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS6/3 Lead and inorganic compounds of lead in air Laboratory method using flame or electrothermal atomic absorption spectrometry

#### Exposure Controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

##### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

##### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g.

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### **Skin and body protection**

Long sleeved clothing

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### **Large scale/emergency use**

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

#### **Small scale/Laboratory use**

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: Physical and chemical properties

### **Information on basic physicochemical properties**

White

#### **Physical State**

Solid Crystalline

**Odor**

No information available

**Odor Threshold**

No data available

**pH**

No information available

**Melting Point/Range**

No data available

**Softening Point**

No data available

**Boiling Point/Range**

No information available

**Flash Point**

No information available

Method - No information available

**Evaporation Rate**

Not applicable Solid

**Flammability (solid,gas)**

No information available

**Explosion Limits**

No data available

**Vapor Pressure**

No data available

**Vapor Density**

Not applicable Solid

**Specific Gravity / Density**

2.53 g/cm<sup>3</sup> @ 20 °C

**Bulk Density**

2.53

**Water Solubility**

Soluble in dilute nitric acid, alkali, acid ammonium hydrogen oxidation and tartaric acid ammonium solution, insoluble in water and alcohol.

**Solubility in other solvents**

No information available

#### **Partition Coefficient (n-octanol/water)**

No data available

#### **Autoignition Temperature**

No data available

#### **Decomposition Temperature**

No data available

#### **Viscosity**

Not applicable Solid

#### **Explosive Properties**

No information available

#### **Oxidizing Properties**

No information available

#### **Molecular Formula**

C<sub>4</sub> H<sub>4</sub> O<sub>6</sub> Pb

#### **Molecular Weight**

355.27

---

## SECTION 10: Stability and reactivity

#### **Stability**

Stable under normal conditions.

#### **Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

No information available.

#### **Conditions to Avoid**

None known.

#### **Materials to avoid**

Oxidizing agent.

#### **Hazardous Decomposition Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). lead oxides.

---

## SECTION 11: Toxicological information

### Product Information

**(a) acute toxicity;**

**(b) skin corrosion/irritation;**

No data available

**(c) serious eye damage/irritation;**

No data available

**(d) respiratory or skin sensitization;**

**Respiratory**

No data available

**Skin**

No data available

**(e) germ cell mutagenicity;**

No data available

**(f) carcinogenicity;**

No data available

There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;**

Category 1A

**(h) STOT-single exposure;**

No data available

**(i) STOT-repeated exposure;**

Category 2

**Target Organs**

Central nervous system (CNS), Blood, Kidney.

**(j) aspiration hazard;**

Not applicable

Solid

**Symptoms / effects, both acute and delayed**

No information available

## SECTION 12: Ecological information

### **Ecotoxicity effects**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

### **Persistence and Degradability**

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary

### **Persistence**

May persist.

### **Degradation in sewage**

Contains substances known to be hazardous to the environment or not degradable in waste

### **treatment plant**

water treatment plants.

### **Bioaccumulative Potential**

Product has a high potential to bioconcentrate

### **Mobility in soil**

No information available

### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

### **Persistent Organic Pollutant**

This product does not contain any known or suspected substance

### **Ozone Depletion Potential**

This product does not contain any known or suspected substance

---

## SECTION 13: Disposal considerations

### **Waste from Residues/Unused Products**

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

### **Other Information**

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

---

## SECTION 14: Transport information

### Road and Rail Transport

**UN-No**

UN2291

**Proper Shipping Name**

Lead compound, soluble, n.o.s.

**Technical Shipping Name**

(Lead(II) tartrate)

**Hazard Class**

6.1

**Packing Group**

III

**IMDG/IMO****UN-No**

UN2291

**Proper Shipping Name**

Lead compound, soluble, n.o.s.

**Technical Shipping Name**

(Lead(II) tartrate)

**Hazard Class**

6.1

**Packing Group**

III

**Marine Pollutant**

This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

**IATA****UN-No**

UN2291

**Proper Shipping Name**

Lead compound, soluble, n.o.s.

**Technical Shipping Name**

(Lead(II) tartrate)

**Hazard Class**

6.1

**Packing Group**

III

### Special Precautions for User

No special precautions required

---

## SECTION 15: Regulatory information

### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Butanedioic acid, 2,3-dihydroxy- [R-(R*,R*)]-, lead(2+) salt (1:1)	-	-	-	-	212-426-6	X	-	-	-	X	X	-

### Note Note 1

The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

### National Regulations

---

## SECTION 16: Other information

### Prepared By

Health, Safety and Environmental Department

### Revision Date

24-Sep-2025

### Revision Summary

Not applicable.

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene. Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

## **Legend**

### **CAS**

Chemical Abstracts Service

### **TSCA**

United States Toxic Substances Control Act Section 8(b)

Inventory

### **EINECS/ELINCS**

European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances

### **DSL/NDSL**

Canadian Domestic Substances List/Non-Domestic

Substances List

### **PICCS**

Philippines Inventory of Chemicals and Chemical Substances

### **ENCS**

Japanese Existing and New Chemical Substances

### **IECSC**

Chinese Inventory of Existing Chemical Substances

### **AICS**

Australian Inventory of Chemical Substances

### **KECL**

Korean Existing and Evaluated Chemical Substances

### **NZIoC**

New Zealand Inventory of Chemicals

### **WEL**

Workplace Exposure Limit

### **TWA**

Time Weighted Average

### **ACGIH**

American Conference of Governmental Industrial Hygienists

### **IARC**

International Agency for Research on Cancer

### **DNEL**

Derived No Effect Level

### **PNEC**

Predicted No Effect Concentration

### **RPE**

Respiratory Protective Equipment

### **LD50**

Lethal Dose 50%

### **LC50**

Lethal Concentration 50%

### **EC50**

Effective Concentration 50%

**NOEC**

No Observed Effect Concentration

**POW**

Partition coefficient Octanol:Water

**PBT**

Persistent, Bioaccumulative, Toxic

**vPvB**

very Persistent, very Bioaccumulative

**ICAO/IATA**

International Civil Aviation Organization/International Air  
Transport Association

**IMO/IMDG**

International Maritime Organization/International Maritime  
Dangerous Goods Code

**ADR**

European Agreement Concerning the International Carriage of  
Dangerous Goods by Road

**MARPOL**

International Convention for the Prevention of Pollution from  
Ships

**OECD**

Organisation for Economic Co-operation and Development

**ATE**

Acute Toxicity Estimate

**BCF**

Bioconcentration factor

**VOC**

(Volatile Organic Compound)

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.