

Chemical Safety Data Sheet MSDS / SDS

Lithium-6Li deuterioxide deuterate

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Lithium-6Li deuterioxide deuterate
CBnumber : CB82095947
CAS : 51250-95-4
Synonyms : Lithium-⁶Li deuterioxide deuterate

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Hazard statements

H314 Causes severe skin burns and eye damage

H302 Harmful if swallowed

SECTION 3: Composition/information on ingredients

Substance

Product name	: Lithium-6Li deuterioxide deuterate
Synonyms	: Lithium- ⁶ Li deuterioxide deuterate
CAS	: 51250-95-4
MF	: 6LiODD2O

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

Lithium oxides

Specific extinguishing methods

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Avoidance of contact

Strong oxidizing agents acids Alcohols Reacts violently with water.

Storage

Further information on storage conditions

Tightly closed. Dry.

Storage class

8A, Combustible, corrosive hazardous materials

Recommended storage temperature

Recommended storage temperature see product label.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection

protective clothing

Hand protection

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-

approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

solid

Color

No data available

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/ range

No data available

Boiling point/boiling range

No data available

Flash point

Not applicable

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

No data available

Density

No data available

Water solubility

No data available

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

No data available

Oxidizing properties

none

Molecular weight

44.08 g/mol

Particle characteristics Particle size

No data available

Physical state

solid

SECTION 10: Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Absorbs carbon dioxide (CO₂) from air. Violent reactions possible with: acids

Conditions to avoid

Do not allow water to enter container because of violent reaction. no information available

Incompatible materials

Strong oxidizing agents acids Alcohols Reacts violently with water.

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 330 mg/kg

Remarks: (ECHA)

The value is given in analogy to the following substances: Lithium hydroxide

LC50 Inhalation - Rat - male and female - 4 h - > 3.4 mg/l - dust/mist (OECD Test Guideline 403)

Remarks: The value is given in analogy to the following substances: Lithium hydroxide

LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Remarks: The value is given in analogy to the following substances: Lithium hydroxide

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Corrosive (OECD Test Guideline 435)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

(ECHA)

Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative (OECD Test Guideline 406)

Remarks: The value is given in analogy to the following substances: Lithium hy- droxide

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: The value is given in analogy to the following substances: Lithium hy- droxide
Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: The value is given in analogy to the following substances: Lithium hy- droxide
Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Remarks: The value is given in analogy to the following substances: Lithium hy- droxide
Carcinogenicity

No data available

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion., Cyanosis and t-wave inversion have occurred in the breast-fed infants of women receiving lithium carbonate therapy., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.,

Cough, Shortness of breath

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Ecotoxicity

Components:

Lithium-6Li deuterioxide deuterate:

Toxicity to fish

LC50 (Danio rerio (zebra fish)): ca. 62.2 mg/l End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Lithium hydroxide

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 19.1 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Lithium hydroxide

Toxicity to algae/aquatic plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 87.57 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Lithium hydroxide

Toxicity to fish (Chronic toxicity)

NOEC (Danio rerio (zebra fish)): ca. 9.90 mg/l End point: mortality Exposure time: 34 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 210 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Lithium hydroxide

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 2.3 mg/l End point: reproduction rate Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 211 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Lithium hydroxide

Toxicity to microorganisms

EC50 (activated sludge): 180.8 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: Lithium hydroxide

Ecotoxicology Assessment

Chronic aquatic toxicity

This product has no known ecotoxicological effects.

Persistence and degradability

Components:

Lithium-6Li deuterioxide deuterate:

Biodegradability

Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

Lithium-6Li deuterioxide deuterate:**Partition coefficient: noctanol/water**

Remarks: Not applicable for inorganic substances

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations**Disposal methods****Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information**International Regulations****IATA-DGR**

UN/ID No. : UN 3262

Proper shipping name : Corrosive solid, basic, inorganic, n.o.s.

(Lithium-6Li deuterioxide deuterate)

Class : 8

Packing group : II

Labels : Class 8 - Corrosive substances

Packing instruction (cargo aircraft) : 863

Packing instruction (passenger aircraft) : 859

IMDG-Code

UN number : UN 3262

Proper shipping name : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

(Lithium-6Li deuterioxide deuterate)

Class : 8

Packing group : II

Labels : 8

EmS Code : F-A, S-B

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 3262

Proper shipping name : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

(Lithium-6Li deuterioxide deuterate)

Class : 8

Packing group : II

Labels : 8

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Hazardous Chemicals for Priority Management

Not applicable under SAWS

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not applicable

SECTION 16: Other information

Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals

ANTT - National Agency for Transport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN - Standard of the German Institute for Standardisation

DSL - Domestic Substances List (Canada)

EC_x - Concentration associated with x% response

EL_x - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and New Chemical Substances (Japan)

ErC_x - Concentration associated with x% growth rate response

ERG - Emergency Response Guide

GHS - Globally Harmonized System

GLP - Good Laboratory Practice

IARC - International Agency for Research on Cancer

ATA - International Air Transport Association

IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC₅₀ - Half maximal inhibitory concentration

ICAO - International Civil Aviation Organization

IECSC - Inventory of Existing Chemical Substances in China

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organization

ISHL - Industrial Safety and Health Law (Japan)

ISO - International Organisation for Standardization

KECI - Korea Existing Chemicals Inventory

LC₅₀ - Lethal Concentration to 50 % of a test population

LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)

MARPOL - International Convention for the Prevention of Pollution from Ships

n.o.s. - Not Otherwise Specified

Nch - Chilean Norm

NO(A)EC - No Observed (Adverse) Effect Concentration

NO(A)EL - No Observed (Adverse) Effect Level

NOELR - No Observable Effect Loading Rate

NOM - Official Mexican Norm

NTP - National Toxicology Program

NZIoC - New Zealand Inventory of Chemicals

OECD - Organization for Economic Co-operation and Development

OPPTS - Office of Chemical Safety and Pollution Prevention

PBT - Persistent, Bioaccumulative and Toxic substance

PICCS - Philippines Inventory of Chemicals and Chemical Substances

(Q)SAR - (Quantitative) Structure Activity Relationship

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

SADT - Self-Accelerating Decomposition Temperature

SDS - Safety Data Sheet

TCSI - Taiwan Chemical Substance Inventory

TDG - Transportation of Dangerous Goods

TECI - Thailand Existing Chemicals Inventory

TSCA - Toxic Substances Control Act (United States)

UN - United Nations

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

WHMIS - Workplace Hazardous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.