

## Chemical Safety Data Sheet MSDS / SDS

## Lithium Triethylborohydride

Revision Date:2026-05-31 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Lithium Triethylborohydride  
CBnumber : CB7758452  
CAS : 22560-16-3  
EINECS Number : 245-076-8  
Synonyms : lithium triethylborohydride, LiBHET3

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use ... for extinction.

P402+P404 Store in a dry place. Store in a closed container.

P403+P235 Store in a well-ventilated place. Keep cool.

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P405 Store locked up.

#### **Hazard statements**

H318 Causes serious eye damage

H333 May be harmful if inhaled

H225 Highly Flammable liquid and vapour

H260 In contact with water releases flammable gases which may ignite spontaneously

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

H351 Suspected of causing cancer

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Lithium Triethylborohydride
Synonyms	: lithium triethylborohydride, LiBHEt <sub>3</sub>
CAS	: 22560-16-3
EC number	: 245-076-8
MF	: C <sub>6</sub> H <sub>13</sub> BLi
MW	: 102.92

---

## SECTION 4: First aid measures

### **General advice**

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

### **If inhaled**

After inhalation: fresh air. Call in physician.

### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### **In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### **If swallowed**

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### **Protection of first-aiders**

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Dry powder

### Unsuitable extinguishing media

Water Foam

### Specific hazards during fire fighting

Mixture with combustible ingredients. Pay attention to flashback. Vapours are heavier than air and may spread along floors. May not get in touch with: Water Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.


### Specific extinguishing methods

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### NFPA 704



■ HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. <a href="#">liquid hydrogen</a> , <a href="#">sulfuric acid</a> , <a href="#">calcium hypochlorite</a> , hexafluorosilicic acid)
■ FIRE	4	Will rapidly or completely vaporize at normal atmospheric pressure and temperature, or is readily dispersed in air and will burn readily. Includes pyrophoric substances. Flash point below room temperature at 22.8 °C (73 °F). (e.g. acetylene, propane, <a href="#">hydrogen gas</a> )
■ REACT	2	Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, <a href="#">potassium</a> , <a href="#">sodium</a> )
□ SPEC. HAZ.	W	

---

## SECTION 6: Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

---

## SECTION 7: Handling and storage

### **Handling**

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep workplace dry. Do not allow product to come into contact with water.

#### **Avoidance of contact**

Water Oxidizing agents Strong oxidizing agents Oxygen

### **Storage**

#### **Further information on storage conditions**

Tightly closed. Keep away from heat and sources of ignition.

#### **Materials to avoid**

Never allow product to get in contact with water during storage.

#### **Storage class**

4.3, Hazardous materials, which set free flammable gases upon contact with water

#### **Recommended storage temperature**

Recommended storage temperature see product label.

#### **Further information on storage stability**

Handle and store under inert gas. Dry residue is explosive. Test for peroxide formation periodically and before distillation.

#### **Packaging material**

Suitable material: Sure-Seal Bottles, Mild Steel Cylinder

---

## SECTION 8: Exposure controls/personal protection

## Ingredients with workplace control parameters

Biological occupational exposure limits drofuran shift BEI (As soon as possible after exposure ceases)

## Engineering measures

No data available

## Personal protective equipment

### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Recommended Filter type

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

### Skin and body protection

Flame retardant antistatic protective clothing.

### Hand protection

#### Material

butyl-rubber

#### Break through time

10 min

#### Glove thickness

0.3 mm

#### Protective index

Splash contact

#### Manufacturer

Butoject® (KCL 897 / Aldrich Z677647, Size M)

#### Manufacturer

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

#### Remarks

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

liquid

---

#### Color

colourless

#### Odor

No data available

#### Odor Threshold

No data available

#### pH

No data available

#### Melting point/ range

No data available

#### Boiling point/boiling range

No data available

#### Flash point

-17 °C

Method: closed cup

#### Evaporation rate

No data available

#### Flammability (solid, gas)

No data available

#### Flammability (liquids)

No data available

#### Burning rate

No data available

#### Upper explosion limit / Upper flammability limit

No data available

#### Lower explosion limit / Lower flammability limit

No data available

**Vapor pressure**

No data available

**Relative vapor density**

No data available

**Relative density**

0.892 g/mL at 25 °C

**Density**

0.892 g/cm<sup>3</sup>

**Water solubility**

No data available

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

No data available

**Decomposition temperature**

No data available

**Viscosity, dynamic**

No data available

**Viscosity, kinematic**

No data available

**Flow time**

No data available

**Explosive properties**

Not classified as explosive.

**Oxidizing properties**

none

**Molecular weight**

105.94 g/mol

**Particle characteristics Particle size**

No data available

**Solubility**

Miscible with tetrahydrofuran and benzene.

### **Physical state**

Liquid

---

## **SECTION 10: Stability and reactivity**

### **Reactivity**

Formation of peroxides possible. Vapours may form explosive mixture with air.

### **Chemical stability**

sensitive to moisture

### **Possibility of hazardous reactions**

No data available

### **Conditions to avoid**

Warming. Moisture.

### **Incompatible materials**

Water Oxidizing agents Strong oxidizing agents Oxygen

### **Hazardous decomposition products**

Peroxides : In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Mixture Acute toxicity**

Oral: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:., damage of respiratory tract

Dermal: No data available

#### **Skin corrosion/irritation**

Remarks: No data available

Remarks: Mixture causes burns.

#### **Serious eye damage/eye irritation**

Remarks: No data available

Remarks: Mixture causes serious eye damage.

Risk of blindness!

#### **Respiratory or skin sensitization**

Classified based on available data. For more details, see section 2

#### **Germ cell mutagenicity**

Classified based on available data. For more details, see section 2

## **Carcinogenicity**

Evidence of a carcinogenic effect.

## **Reproductive toxicity**

Classified based on available data. For more details, see section 2

## **Specific target organ toxicity - single exposure**

Remarks: No data available

Mixture may cause respiratory irritation.

Mixture may cause drowsiness or dizziness.

## **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

## **Aspiration hazard**

Classified based on available data. For more details, see section 2

## **11.2 Additional Information**

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache,

Nausea

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

## **Components Tetrahydrofuran**

### **Acute toxicity**

LD50 Oral - Rat - male and female - 1,650 mg/kg

Remarks: (ECHA)

Symptoms: Irritation of mucous membranes

LC50 Inhalation - Rat - male and female - 6 h - > 14.7 mg/l - vapour (US-EPA)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation - 72 h (Draize Test)

Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes serious eye irritation.

Remarks: (IUCLID)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

### **Germ cell mutagenicity**

Test Type: Ames test

Test system: S. typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: negative

### **Carcinogenicity**

Suspected of causing cancer.

### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

### **Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause drowsiness or dizziness.

Acute oral toxicity - Irritation of mucous membranes

### **Specific target organ toxicity - repeated exposure Aspiration hazard**

Classified based on available data. For more details, see section 2

### **lithium triethylhydroborate Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

### **Skin corrosion/irritation**

Remarks: No data available

### **Serious eye damage/eye irritation**

Remarks: No data available

### **Respiratory or skin sensitization**

Classified based on available data. For more details, see section 2

### **Germ cell mutagenicity**

Classified based on available data. For more details, see section 2

### **Carcinogenicity**

Classified based on available data. For more details, see section 2

### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

### **Specific target organ toxicity - single exposure**

Classified based on available data. For more details, see section 2

### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

### **Aspiration hazard**

Classified based on available data. For more details, see section 2

## SECTION 12: Ecological information

### Ecotoxicity

#### Toxicity to fish

Remarks: No data available

#### Components:

#### Tetrahydrofuran:

##### Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 2,160 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 203

##### Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,485 mg/l End point: mortality Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202

##### Toxicity to fish (Chronic toxicity)

NOEC (Pimephales promelas (fathead minnow)): 216 mg/l End point: Growth inhibition Exposure time: 33 d Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA)

#### lithium triethylhydroborate:

##### Toxicity to fish

Remarks: No data available

### Persistence and degradability

#### Biodegradability

Remarks: No data available

#### Components:

#### Tetrahydrofuran:

##### Biodegradability

aerobic Inoculum: activated sludge Concentration: 2 mg/l Biochemical oxygen demand Result: Not readily biodegradable. Biodegradation: 39 % Exposure time: 28 d Method: OECD Test Guideline 301D

#### lithium triethylhydroborate:

##### Biodegradability

Remarks: No data available

### Bioaccumulative potential

#### Bioaccumulation

Remarks: No data available

#### Components:

#### Tetrahydrofuran:

**Partition coefficient: noctanol/water**

log Pow: 0.45 (25 °C) Method: OECD Test Guideline 107 Remarks: Bioaccumulation is not expected.

**lithium triethylhydroborate:****Bioaccumulation**

Remarks: No data available

**Mobility in soil****Stability in soil**

Remarks: No data available

**Components:****lithium triethylhydroborate:****Stability in soil**

Remarks: No data available

**Other adverse effects****Components:****Tetrahydrofuran:****Results of PBT and vPvB assessment**

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

**lithium triethylhydroborate:****Additional ecological information**

No data available

---

## SECTION 13: Disposal considerations

**Disposal methods****Waste from residues**

Offer surplus and non-recyclable solutions to a li- censed disposal company.

---

## SECTION 14: Transport information

**International Regulations****IATA-DGR**

UN/ID No. : UN 3399

Proper shipping name : Organometallic substance, liquid, water-reactive, flammable (lithium triethylhydroborate, Tetrahydrofuran)

Class : 4.3

Subsidiary risk : 3

Packing group : I

Labels : Division 4.3 - Substances which in contact with water emit flammable gases, Class 3 - Flammable liquids

Packing instruction (cargo aircraft) : 494

Packing instruction (passenger aircraft) : Not permitted for transport

### **IMDG-Code**

UN number : UN 3399

Proper shipping name : ORGANOMETALLIC SUBSTANCE, LIQUID, WATERREACTIVE, FLAMMABLE (lithium triethylhydroborate, Tetrahydrofuran)

Class : 4.3

Subsidiary risk : 3

Packing group : I

Labels : 4.3 (3)

EmS Code : F-G, S-N

Marine pollutant : no

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### **National Regulations**

#### **JT/T 617**

UN number : UN 3399

Proper shipping name : ORGANOMETALLIC SUBSTANCE, LIQUID, WATERREACTIVE, FLAMMABLE (Tetrahydrofuran, lithium triethylhydroborate)

Class : 4.3

Subsidiary risk : 3

Packing group : I

Labels : 4.3 (3)

Environmentally hazardous : no

### **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## **SECTION 15: Regulatory information**

### **National regulatory information**

#### **Law on the Prevention and Control of Occupational Diseases**

#### **Regulations on Safety Management of Hazardous Chemicals**

## **Catalogue of Hazardous Chemicals**

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

### **No. / Code Chemical name / Category Threshold quantity**

**W5.3 Flammable liquids 1,000 t**

**W11 Substances and mixtures which in 200 t contact with water, emit flammable gases**

## **Hazardous Chemicals for Priority Management**

Not applicable under SAWS

## **Catalogue of Specially Controlled Hazardous**

Not listed Chemicals

## **List of Explosive Precursors**

Not listed

## **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

## **China Severely Restricted Toxic Chemicals for Import and Export**

Not applicable

## **Regulation on the Administration of Precursor Chemicals**

## **Catalogue and Classification of Precursor Chemicals**

Not listed

## **Regulations on the Administration of Controlled Chemicals**

## **List of Controlled Chemicals**

Not listed

## **Regulations of Ozone Depleting Substances Management**

## **List of Controlled Ozone Depleting Substances**

Not listed

## **List of Controlled Ozone Depleting Substances Import and Export**

Not listed

## **Environmental Protection Law**

## **List of Priority Controlled Chemicals**

Not listed

## List of Key Controlled New Pollutants

Not listed

---

## SECTION 16: Other information

### Full text of other abbreviations

#### ACGIH

USA. ACGIH Threshold Limit Values (TLV)

#### ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

#### GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

#### ACGIH / TWA

8-hour, time-weighted average

#### ACGIH / STEL

Short-term exposure limit

**GBZ 2.1-2007 / PC-TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x% respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; MERC of Dangerous Goods; n.o. - No Observed (Adverse) fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organisatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemical States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar**

Permissible concentration - time weighted average ry of Industrial Chemicals

ANNT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonised System

actice

IARC - International Agency for Research on Canir Transport Association

IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk

IC50 ncentration

ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China

IMDG - Interna- Goods

IMO - International Maritime Organisation

ISHL alth Law (Japan)  
 ISO - International Organisation for rea Existing Chemicals Inventory  
 LC50 - Lethal Concenopulation  
 LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of PoI- SUR - The Agreement for the  
 Facilitation of the Transport . - Not Otherwise Specified  
 Nch - Chilean Norm  
 NO(A)EC ffect Concentration  
 NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate  
 NOM - Official Mexican ology Program  
 NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development  
 OPPTS - Ofd Pollution Prevention  
 PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship  
 REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals  
 SADT - Selfn Temperature  
 SDS - Safety Data Sheet  
 TCSI - Taiwan tory  
 TDG - Transportation of Dangerous Goods  
 TECI s Inventory  
 TSCA - Toxic Substances Control Act (United ons)  
 UNRTDG - United Nations Recommendations on the oods  
 vPvB - Very Persistent and Very Bioaccumulative  
 ous Materials Information System

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.