

Chemical Safety Data Sheet MSDS / SDS

NAPHTHALENE-1-13C

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : NAPHTHALENE-1-13C
CBnumber : CB8275525
CAS : 20526-83-4
Synonyms : Naphthalene-1-¹³C;NAPHTHALENE-1-13C, 99 ATOM % 13C

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Warning

Precautionary statements

P308+P313 IF exposed or concerned: Get medical advice/attention.
P273 Avoid release to the environment.
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P201 Obtain special instructions before use.

Hazard statements

H228 Flammable solid
H302 Harmful if swallowed
H351 Suspected of causing cancer
H410 Very toxic to aquatic life with long lasting effects

SECTION 3: Composition/information on ingredients

Substance

Product name	: NAPHTHALENE-1-13C
Synonyms	: Naphthalene-1- ¹³ C;NAPHTHALENE-1-13C, 99 ATOM % 13C
CAS	: 20526-83-4
MF	: C10H8
MW	: 129.18

SECTION 4: First aid measures

4.1 Description of first-aid measures

No data available

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

4.4 Notes to physician

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

No data available

5.2 Special hazards arising from the substance or mixture

Combustible.

5.3 Advice for firefighters

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For personal protection see section 8.

6.2 Environmental precautions

No data available

6.3 Methods and materials for containment and cleaning up

No data available

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

hygroscopic Store under inert gas.

Storage class

Storage class (TRGS 510): 4.1B: Flammable solid hazardous materials

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

['Component', 'CAS-No.', 'Value', 'Control parameters', 'Basis']	['Naphthalene-1- 13C', '20526-83- 4', 'PC-TWA', '50 mg/m3', 'Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.']	['', 'Remarks', 'G2B - Possibly carcinogenic to humans Skin', None, None]	['', '', 'PC-STEL', '75 mg/m3', 'Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.']	['', '', 'G2B - Possibly carcinogenic to humans Skin', None, None]
--	--	---	--	--

Biological occupational exposure limits

['Component', 'CAS-No.', 'Parameters', 'Value', 'Biological specimen', 'Basis']	['Naphthalene-1- 13C', '20526-83- 4', '1-Naphthol + 2- Naphthol', '', 'ACGIH - Biological Exposure Indices (BEI)']	['', 'Remarks', 'End of shift (As soon as possible after exposure ceases)', None, None, None]
---	--	---

8.2 Exposure controls

Personal protective equipment

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 L

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Prevent product from entering drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

a) Physical state	solid
b) Color	No data available
c) Odor	No data available
d) Melting point/freezing point	Melting point/ range: 80 °C
e) Initial boiling point and boiling range	218 °C(lit.)
f) Flammability (solid, gas)	2. - Flammability (solids) The substance or mixture is a flammable solid with the category
g) Upper/lower flammability or explosive limits	Upper explosion limit: ca.5.9 %(V) Lower explosion limit: ca.0.9 %(V)
h) Flash point	80.0 °C - closed cup
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	No data available
n) Partition coefficient n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	No data available
Relative density	No data available
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Chemical stability

No data available

10.2 Possibility of hazardous reactions

Violent reactions possible with:

Oxidizing agents chromium(VI) oxide benzoyl chloride aluminium chloride

Risk of explosion with: nitrogen oxides

10.3 Conditions to avoid

No data available

10.4 Incompatible materials

No data available

10.5 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

LC50 Inhalation - Rat - male and female - 4 h - > 0.4 mg/l - vapor (OECD Test Guideline 403)

LD50 Dermal - Rabbit - 20,000 mg/kg

Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

Remarks: (ECHA)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: Metabolic activation

Method: OECD Test Guideline 473

Result: positive

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Cell type: Liver cells

Application Route: Oral

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Method: US-EPA

Result: negative

Remarks: (ECHA)

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 91 Days - NOAEL (No observed adverse effect level) - 200 mg/kg - LOAEL (Lowest observed adverse effect level) - 400 mg/kg

Repeated dose toxicity - Mouse - male and female - Oral - 90 Days - NOAEL (No observed adverse effect level) - 100 mg/kg

Repeated dose toxicity - Rat - male and female - Dermal - 90 Days - NOAEL (No observed adverse effect level) - 1,000 mg/kg

Repeated dose toxicity - Rat - male and female - inhalation (vapor) - 90 Days - NOAEL (No observed adverse effect level) - 300 mg/kg

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer., Naphthalene is retinotoxic and systemic absorption of its vapors above 15ppm, may result in:, cataracts, optic neuritis, corneal injury, Eye irritation, Ingestion may provoke the following symptoms:, hemolytic anemia, hemoglobinuria, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Convulsions, anemia, Kidney injury may occur., Seizures.,

Coma.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Headache

Stomach/intestinal disorders

Tremors

Convulsions

Changes in the blood count

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Heart -

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 1.6 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia static test EC50 - *Daphnia magna* (Water flea) - 2.16 mg/l - 48 h and other aquatic (OECD Test Guideline 202)
invertebrates

Toxicity to algae static test EC50 - *Pseudokirchneriella subcapitata* (green algae) - 2.96 mg/l - 4 h (US-EPA)

Remarks: (ECHA)

Toxicity to flow-through test LC50 - *Oncorhynchus kisutch* (coho salmon) - 2.1 fish(Chronic toxicity) mg/l - 96 h

Remarks: (ECHA) flow-through test NOEC - *Oncorhynchus kisutch* (coho salmon) - 0.37 mg/l - 40 Days

Remarks: (ECHA)

Toxicity to daphnia static test NOEC - *Daphnia pulex* (Water flea) - 0.59 mg/l - 125 d and other aquatic Remarks: (ECHA)
invertebrates(Chronic toxicity)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 2 % - Not readily biodegradable.

(OECD Test Guideline 302C)

12.3 Bioaccumulative potential

Bioaccumulation *Cyprinus carpio* (Carp) - 56 d at 25 °C(Naphthalene-1-13C)

Bioconcentration factor (BCF): 36.5 - 168 (OECD Test Guideline 305)

Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1334

IMDG: 1334

IATA-DGR: 1334

14.2 UN proper shipping name

ADR/RID: NAPHTHALENE, REFINED

IMDG: NAPHTHALENE, REFINED

IATA-DGR: Naphthalene, refined

14.3 Transport hazard class(es)

ADR/RID: 4.1

IMDG: 4.1

IATA-DGR: 4.1

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA-DGR: III

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA-DGR: no

14.6 Special precautions for user

Based on chemical properties, choose appropriate tools and conditions of transport.

Transporting tools shall be equipped with appropriate and sufficient firefighting equipment and emergency leaking installations. If transporting by road, please go along the specified route.

14.7 Incompatible materials

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

Measures on the Environmental Administration of New Chemical Substances Registration

Registration/Notification number : B1A222232771

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.