

## Chemical Safety Data Sheet MSDS / SDS

## NEOPENTYLMAGNESIUM CHLORIDE

Revision Date:2026-05-31 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

Product name : NEOPENTYLMAGNESIUM CHLORIDE  
CBnumber : CB4442590  
CAS : 13132-23-5  
Synonyms : neopentylmagnesium chloride,2,2-Dimethylpropylmagnesium chloride

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P403+P235 Store in a well-ventilated place. Keep cool.

P402+P404 Store in a dry place. Store in a closed container.

P370+P378 In case of fire: Use ... for extinction.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P231+P232 Handle under inert gas. Protect from moisture.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

**Hazard statements**

H336 May cause drowsiness or dizziness

H302 Harmful if swallowed  
H351 Suspected of causing cancer  
H335 May cause respiratory irritation  
H314 Causes severe skin burns and eye damage  
H261 In contact with water releases flammable gas  
H225 Highly Flammable liquid and vapour

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name : NEOPENTYLMAGNESIUM CHLORIDE  
Synonyms : neopentylmagnesium chloride,2,2-Dimethylpropylmagnesium chloride  
CAS : 13132-23-5  
MF : C5H11ClMg  
MW : 130.9

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 4.4 Notes to physician

No data available

---

## SECTION 5: Firefighting measures

## 5.1 Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Dry powder

### Unsuitable extinguishing media

Water Foam

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nature of decomposition products not known.

Mixture with combustible ingredients.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

May not get in touch with: Water

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

# SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Keep workplace dry. Do not allow product to come into contact with water.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep away from heat and sources of ignition.

Never allow product to get in contact with water during storage.

Handle and store under inert gas. Air and moisture sensitive. Test for peroxide formation periodically and before distillation. Dry residue is explosive. Test for peroxide formation periodically and before distillation.

#### Storage class

Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

['Component', 'CAS-No.', 'Value', 'Control parameters', 'Basis']	['Tetrahydrofuran', '109-99-9', 'PC-TWA', '300 mg/m3', 'Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.']
--	---

#### Biological occupational exposure limits

['Component', 'CAS-No.', 'Parameters', 'Value', 'Biological specimen', 'Basis']	['Tetrahydrofuran', '109-99-9', 'Tetrahydrofuran', '2 mg/l', 'Urine', 'ACGIH - Biological Exposure Indices (BEI)']	['', 'Remarks', 'End of shift (As soon as possible after exposure ceases)', 'None, None, None']
---	--	---

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

##### Skin protection

required

##### Body Protection

Flame retardant antistatic protective clothing.

#### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

a) Physical state	liquid
b) Color	No data available
c) Odor	No data available
d) Melting point/freezing point	No data available
e) Initial boiling point and boiling range	118-120 °C(Press: 12 Torr)
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	Upper explosion limit: 11.8 %(V) Lower explosion limit: 1.8 %(V)
h) Flash point	-17.0 °C - closed cup
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	No data available
n) Partition coefficient n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	0.952 g/cm <sup>3</sup> at 25 °C
Relative density	0.771 g/mL at 25 °C
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	none

### 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Chemical stability

sensitive to moisture

## 10.2 Possibility of hazardous reactions

No data available

## 10.3 Conditions to avoid

Do not allow water to enter container because of violent reaction.

Warming.

Moisture.

## 10.4 Incompatible materials

Oxidizing agents, Oxygen, Alcohol

## 10.5 Hazardous decomposition products

Peroxides

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Mixture Acute toxicity

Oral: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Dermal: No data available

### Skin corrosion/irritation

Remarks: Mixture causes burns.

### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

### Germ cell mutagenicity

Classified based on available data. For more details, see section 2

### Carcinogenicity

Evidence of a carcinogenic effect.

### Reproductive toxicity

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Mixture may cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

### Aspiration hazard

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Central nervous system depression, Cough, chest pain, Difficulty in breathing, Exposure to high airborne concentrations can cause anesthetic effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

### Components Tetrahydrofuran

#### Acute toxicity

LD50 Oral - Rat - male and female - 1,650 mg/kg

Remarks: (ECHA)

Symptoms: Irritation of mucous membranes

LC50 Inhalation - Rat - male and female - 6 h - > 14.7 mg/l - vapor (US-EPA)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 72 h (Draize Test)

Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation.

Remarks: (IUCLID)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

#### Germ cell mutagenicity

Test Type: Ames test

Test system: *S. typhimurium*

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: negative

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause drowsiness or dizziness.

Acute oral toxicity - Irritation of mucous membranes

#### **Specific target organ toxicity - repeated exposure Aspiration hazard**

Classified based on available data. For more details, see section 2

#### **2,2-Dimethylpropylmagnesium chloride Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

#### **Skin corrosion/irritation**

Remarks: No data available

#### **Serious eye damage/eye irritation**

Remarks: No data available

#### **Respiratory or skin sensitization**

Classified based on available data. For more details, see section 2

#### **Germ cell mutagenicity**

Classified based on available data. For more details, see section 2

#### **Carcinogenicity**

Classified based on available data. For more details, see section 2

#### **Reproductive toxicity**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - single exposure**

Classified based on available data. For more details, see section 2

#### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Mixture**

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

##### Components Tetrahydrofuran

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 2,160 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 3,485 mg/l - and other aquatic 48 h invertebrates (OECD Test Guideline 202)

Toxicity to flow-through test NOEC - Pimephales promelas (fathead fish(Chronic toxicity) minnow) - 216 mg/l - 33 d

Remarks: (ECHA)

##### 2,2-Dimethylpropylmagnesium chloride

No data available

---

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

#### 14.1 UN number

ADR/RID: 3399

IMDG: 3399

IATA-DGR: 3399

#### 14.2 UN proper shipping name

ADR/RID: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (2,2-Dimethylpropylmagnesium chloride, Tetrahydrofuran)

IMDG: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (2,2-Dimethylpropylmagnesium chloride, Tetrahydrofuran)

IATA-DGR: Organometallic substance, liquid, water-reactive, flammable (2,2-Dimethylpropylmagnesium chloride, Tetrahydrofuran)

### 14.3 Transport hazard class(es)

ADR/RID: 4.3 (3)

IMDG: 4.3 (3)

IATA-DGR: 4.3 (3)

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA-DGR: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA-DGR: no

### 14.6 Special precautions for user

Based on chemical properties, choose appropriate tools and conditions of transport.

Transporting tools shall be equipped with appropriate and sufficient firefighting equipment and emergency leaking installations. If transporting by road, please go along the specified route.

### 14.7 Incompatible materials

Oxidizing agents, Oxygen, Alcohol

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

Measures on the Environmental Administration of New Chemical Substances Registration

Registration/Notification number : Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.