

Chemical Safety Data Sheet MSDS / SDS

Nickel(II) acetate tetrahydrate

Revision Date:2026-05-31 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name : Nickel(II) acetate tetrahydrate
CBnumber : CB5378827
CAS : 6018-89-9
EINECS Number : 611-946-4
Synonyms : Nickel acetate,nickel(II) acetate tetrahydrate

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.
P302+P352 IF ON SKIN: wash with plenty of soap and water.
P308+P313 IF exposed or concerned: Get medical advice/attention.

Hazard statements

H317 May cause an allergic skin reaction
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341 Suspected of causing genetic defects
H350 May cause cancer

H372 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

SECTION 3: Composition/information on ingredients

Substance

Product name	: Nickel(II) acetate tetrahydrate
Synonyms	: Nickel acetate,nickel(II) acetate tetrahydrate
CAS	: 6018-89-9
EC number	: 611-946-4
MF	: C ₄ H ₁₄ NiO ₈
MW	: 248.84

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

Carbon oxides Nickel/nickel oxides


Specific extinguishing methods

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



☒ HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

☒ FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

☒ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N₂](#))

☐ SPEC.

☐ HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Avoidance of contact

Strong acids Strong bases Strong oxidizing agents

Storage

Further information on storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class

6.1C, Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

Recommended storage temperature

Recommended storage temperature see product label.

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

protective clothing

Hand protection

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

crystalline

Color

White to off-white

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/ range

No data available

Boiling point/boiling range

16 °C

Flash point

Not applicable

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

1.798 g/mL at 25 °C(lit.)

Density

1.798 g/mL (25 °C)

Method: lit.

Water solubility

182 g/L (20 °C)

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

No data available

Oxidizing properties

none

Molecular weight

248.84 g/mol

Particle characteristics Particle size

No data available

Solubility

soluble in H₂O, ethanol

Physical state

Solid

SECTION 10: Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

no information available

Incompatible materials

Strong acids Strong bases Strong oxidizing agents

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 550 mg/kg (OECD Test Guideline 425)

Remarks: (anhydrous substance)

LC50 Inhalation - Rat - male and female - 4 h - 2.48 mg/l - dust/mist (OECD Test Guideline 403)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Nickel di(acetate)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Nickel di(acetate)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: Nickel di(acetate)

Respiratory or skin sensitization

May cause allergic respiratory and skin reactions (anhydrous substance)

Germ cell mutagenicity

In vitro tests showed mutagenic effects

Carcinogenicity

Human carcinogen.

Reproductive toxicity

Presumed human reproductive toxicant May damage the unborn child.

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

The value is given in analogy to the following substances: Nickel di(acetate)

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

RTECS: QR6126000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Ecotoxicity

Components:

NICKEL(II) ACETATE TETRAHYDRATE:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 15.3 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Remarks: (ECHA) (anhydrous substance) The value is given in analogy to the following substances: Nickel di(acetate)

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 21 mg/l Exposure time: 24 h Remarks: (ECOTOX Database) (anhydrous substance) The value is given in analogy to the following substances: Nickel di(acetate)

Toxicity to algae/aquatic plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.0815 - 0.148 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 Remarks: (anhydrous substance) The value is given in analogy to the following substances: Nickel di(acetate)

M-Factor (Acute aquatic toxicity)

10

Toxicity to fish (Chronic toxicity)

NOEC (Pimephales promelas (fathead minnow)): 0.057 mg/l Exposure time: 32 d Test Type: flow-through test Analytical monitoring: yes Method: US-EPA Remarks: (anhydrous substance) The value is given in analogy to the following substances: Nickel di(acetate)

M-Factor (Chronic aquatic toxicity)

1

Toxicity to microorganisms

EC50 (activated sludge): 33 mg/l Exposure time: 0.5 h Method: ISO 8192,B Remarks: (anhydrous substance)

Persistence and degradability

Components:

NICKEL(II) ACETATE TETRAHYDRATE:

Biodegradability

Result: According to the results of tests of biodegradability this product is not readily biodegradable. Remarks: (anhydrous substance) The value is given in analogy to the following substances: Nickel di(acetate)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(NICKEL(II) ACETATE TETRAHYDRATE)

Class : 9

Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and articles

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(NICKEL(II) ACETATE TETRAHYDRATE)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(NICKEL(II) ACETATE TETRAHYDRATE)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : no

Special precautions for user

Remarks : EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous

Goods > 5L for liquids or > 5kg for solids.

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Hazardous Chemicals for Priority Management

Not applicable under SAWS

Catalogue of Specially Controlled Hazardous

Not listed Chemicals

List of Explosive Precursors

Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals

Listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not applicable

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals

Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances

Not listed

List of Controlled Ozone Depleting Substances Import and Export

Not listed

Environmental Protection Law

List of Priority Controlled Chemicals

Not listed

List of Key Controlled New Pollutants

Not listed

SECTION 16: Other information

Full text of other abbreviations

GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

GBZ 2.1-2007 / PC-TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; **CMR** Standard of the German List (Canada); **ECx** - Conc associated with x%respo Chemical Substances (Jap response; **ERG** - Emerge GLP - Good Laboratory P cer; **IATA** - International Construction and Equipm Half maximal inhibitory c tion; **IECSC** - Inventory o tional Maritime Dangerou Industrial Safety and H Standardisation; **KECI** - K tration to 50 % of a test (Median Lethal Dose); **MA** lution from Ships; **MERC** of Dangerous Goods; **n.o.** - No Observed (Adverse) fect Level; **NOELR** - No Norm; **NTP** - National Toxi icals; **OECD** - Organisatio fice of Chemical Safety a and Toxic substance; **PIC** stances; **(Q)SAR** - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemicala States); **UN** - United Nat Transport of Dangerous **WHMIS** - Workplace Hazar

Permissible concentration - time weighted average ry of Industrial Chemicals

ANTT - National Agency for il
 ASTM - American Society for the Testing of Materials
 - Carcinogen, Mutagen or Reproductive Toxicant
 DIN nstitute for Standardisation
 DSL - Domestic Substances ntration associated with x% response
 ELx - Loading rate se
 EmS - Emergency Schedule
 ENCS - Existing and New n)
 ErCx - Concentration associated with x% growth rate cy Response Guide
 GHS - Globally Harmonised System
 actice
 IARC - International Agency for Research on Canir Transport Association
 IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk
 IC50 ncentration
 ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China
 IMDG - Interna- Goods
 IMO - International Maritime Organisation
 ISHL alth Law (Japan)
 ISO - International Organisation for rea Existing Chemicals Inventory
 LC50 - Lethal Concenopulation
 LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pol- SUR - The Agreement for the
 Facilitation of the Transport . - Not Otherwise Specified
 Nch - Chilean Norm
 NO(A)EC ffect Concentration
 NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate
 NOM - Official Mexican ology Program
 NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development
 OPPTS - Ofd Pollution Prevention
 PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship
 REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals
 SADT - Selfn Temperature
 SDS - Safety Data Sheet
 TCSI - Taiwan tory
 TDG - Transportation of Dangerous Goods
 TECI s Inventory
 TSCA - Toxic Substances Control Act (United ons
 UNRTDG - United Nations Recommendations on the oods
 vPvB - Very Persistent and Very Bioaccumulative
 ous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.

