

## Chemical Safety Data Sheet MSDS / SDS

**POTASSIUM MANGANATE**

Revision Date:2026-05-31 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : POTASSIUM MANGANATE  
CBnumber : CB8741417  
CAS : 10294-64-1  
EINECS Number : 233-665-2  
Synonyms : POTASSIUM MANGANATE,potassium manganate(VI)

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

**Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P264 Wash skin thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P220 Keep/Store away from clothing/.../combustible materials.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

**Hazard statements**

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H315 Causes skin irritation  
H272 May intensify fire; oxidizer

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name : POTASSIUM MANGANATE  
Synonyms : POTASSIUM MANGANATE,potassium manganate(VI)  
CAS : 10294-64-1  
EC number : 233-665-2  
MF : H<sub>3</sub>KMnO<sub>4</sub>  
MW : 161.06

---

## SECTION 4: First aid measures

### General advice

Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Specific hazards during fire fighting

Has a fire-promoting effect due to release of oxygen.

### Hazardous combustion products

Potassium oxides Manganese/manganese oxides


### Specific extinguishing methods

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### NFPA 704



**HEALTH 3** Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

**FIRE 0** Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

**REACT 0** Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

**SPEC. HAZ. OX**

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of

properly. Clean up affected area. Avoid generation of dusts.

---

## SECTION 7: Handling and storage

### Handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### Avoidance of contact

Strong reducing agents Powdered metals Peroxides Zinc Copper

### Storage

#### Further information on storage conditions

Tightly closed.

#### Storage class

5.1B, Oxidizing hazardous materials

#### Recommended storage temperature

Recommended storage temperature see product label.

---

## SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### Engineering measures

No data available

### Personal protective equipment

#### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Recommended Filter type

Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

#### Skin and body protection

protective clothing

#### Hand protection

**Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Full contact

**Manufacturer**

KCL 741 L

**Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Splash contact

**Manufacturer**

KCL 741 L

**Remarks**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

**Information on basic physicochemical properties**

solid

---

**Color**

dark violet

**Odor**

No data available

**Odor Threshold**

No data available

**pH**

No data available

**Melting point/ range**

190 °C

Method: lit.

**Boiling point/boiling range**

No data available

**Flash point**

Not applicable

**Evaporation rate**

No data available

**Flammability (solid, gas)**

No data available

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Upper explosion limit / Upper flammability limit**

No data available

**Lower explosion limit / Lower flammability limit**

No data available

**Vapor pressure**

No data available

**Relative vapor density**

No data available

**Relative density**

No data available

**Density**

No data available

**Water solubility**

Soluble in water

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

No data available

#### **Decomposition temperature**

No data available

#### **Viscosity, dynamic**

No data available

#### **Viscosity, kinematic**

No data available

#### **Flow time**

No data available

#### **Explosive properties**

No data available

#### **Oxidizing properties**

The substance or mixture is classified as oxidizing with the category 3.

#### **Molecular weight**

197.13 g/mol

#### **Particle characteristics Particle size**

No data available

#### **Solubility**

soluble in H<sub>2</sub>O; reacts with HCl

#### **Physical state**

Powder

---

## SECTION 10: Stability and reactivity

#### **Reactivity**

No data available

#### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### **Possibility of hazardous reactions**

No data available

#### **Conditions to avoid**

Avoid moisture. no information available

## Incompatible materials

Strong reducing agents Powdered metals Peroxides Zinc Copper

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

### Skin corrosion/irritation

Remarks: No data available

### Serious eye damage/eye irritation

Remarks: No data available

### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

### Germ cell mutagenicity

Classified based on available data. For more details, see section 2

### Carcinogenicity

Classified based on available data. For more details, see section 2

### Reproductive toxicity

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

### Aspiration hazard

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

anemia, Throat., Men exposed to manganese dusts showed a decrease in fertility.

Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases.

High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., Cough, Shortness of breath, Headache

---

# SECTION 12: Ecological information

## **Ecotoxicity**

### **Components:**

#### **Potassium manganate:**

##### **Toxicity to fish**

Remarks: No data available

#### **Persistence and degradability**

### **Components:**

#### **Potassium manganate:**

##### **Biodegradability**

Remarks: No data available

#### **Bioaccumulative potential**

### **Components:**

#### **Potassium manganate:**

##### **Bioaccumulation**

Remarks: No data available

#### **Mobility in soil**

### **Components:**

#### **Potassium manganate:**

##### **Stability in soil**

Remarks: No data available

#### **Other adverse effects**

### **Components:**

#### **Potassium manganate:**

##### **Additional ecological information**

No data available

---

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

### International Regulations

#### IATA-DGR

UN/ID No. : UN 1479

Proper shipping name : Oxidizing solid, n.o.s.

(Potassium manganate)

Class : 5.1

Packing group : III

Labels : Division 5.1 - Oxidizing substances

Packing instruction (cargo aircraft) : 563

Packing instruction (passenger aircraft) : 559

#### IMDG-Code

UN number : UN 1479

Proper shipping name : OXIDIZING SOLID, N.O.S.

(Potassium manganate)

Class : 5.1

Packing group : III

Labels : 5.1

EmS Code : F-A, S-Q

Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National regulation GB 6944/12268

UN number : UN 1479

Proper shipping name : OXIDIZING SOLID, N.O.S.

(Potassium manganate)

Class : 5.1

Packing group : III

Labels : 5.1

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15: Regulatory information

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

## **National regulatory information**

### **Law on the Prevention and Control of Occupational Diseases**

### **Regulations on Safety Management of Hazardous Chemicals**

### **Catalogue of Hazardous Chemicals**

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

### **No. / Code Chemical name / Category Threshold quantity**

### **W9.2 Oxidising solids and liquids 200 t**

### **Hazardous Chemicals for Priority Management**

Not applicable under SAWS

### **Regulations on Occupational Labor Protection in the at workplaces where**

### **Toxic Substances Are Used**

### **Catalogue of Highly Toxic Chemicals**

Listed

### **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

### **China Severely Restricted Toxic Chemicals for Import and Export**

Not applicable

### **Measures on the Environmental Administration of New Chemical Substances Registration**

### **Registration/Notification number**

B1A222217039

---

## **SECTION 16: Other information**

### **Full text of other abbreviations**

#### **ACGIH**

USA. ACGIH Threshold Limit Values (TLV)

#### **GBZ 2.1-2007**

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

#### **ACGIH / TWA**

8-hour, time-weighted average

**GBZ 2.1-2007 / PC-TWA AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x%respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P  
 cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou  
 Industrial Safety and H Standardization; KECl - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; n.o.s. No  
 Observed (Adverse) E fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organizatio fice of Chemical Safety a and  
 Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi  
 Chemical Substance Inve Thailand Existing Chemical States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar  
 Permissible concentration - time weighted average ry of Industrial Chemicals  
 ANTT - National Agency for il  
 ASTM - American Society for the Testing of Materials  
 - Carcinogen, Mutagen or Reproductive Toxicant  
 DIN nstitute for Standardisation  
 DSL - Domestic Substances ntration associated with x% response  
 ELx - Loading rate se  
 EmS - Emergency Schedule  
 ENCS - Existing and New n)  
 ErCx - Concentration associated with x% growth rate cy Response Guide  
 GHS - Globally Harmonized System  
 actice  
 IARC - International Agency for Research on Canir Transport Association  
 IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk  
 IC50 ncentration  
 ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China  
 IMDG - Interna- Goods  
 IMO - International Maritime Organization  
 ISHL alth Law (Japan)  
 ISO - International Organisation for rea Existing Chemicals Inventory  
 LC50 - Lethal Concenopulation  
 LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pol- Not Otherwise Specified  
 Nch - Chilean Norm  
 NO(A)EC fect Concentration  
 NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate  
 NOM - Official Mexican ology Program  
 NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development  
 OPPTS - Ofd Pollution Prevention  
 PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship  
 REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals  
 SADT - Selfn Temperature  
 SDS - Safety Data Sheet  
 TCSI - Taiwan tory  
 TDG - Transportation of Dangerous Goods  
 TECl s Inventory  
 TSCA - Toxic Substances Control Act (United ons)**

UNRTDG - United Nations Recommendations on the Goods

vPvB - Very Persistent and Very Bioaccumulative

Global Harmonized System of Classification and Labelling of Chemicals

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.