

## Chemical Safety Data Sheet MSDS / SDS

## Sodium bromate

Revision Date:2026-05-31 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Sodium bromate  
CBnumber : CB6181002  
CAS : 7789-38-0  
EINECS Number : 232-160-4  
Synonyms : Sodium Bromate,bromide

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P220 Keep/Store away from clothing/.../combustible materials.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P302+P352 IF ON SKIN: wash with plenty of soap and water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continuerinsing.

## Hazard statements

H271 May cause fire or explosion; strong oxidiser  
H301 Toxic if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: Sodium bromate
Synonyms	: Sodium Bromate, bromide
CAS	: 7789-38-0
EC number	: 232-160-4
MF	: BrNaO3
MW	: 150.89

---

## SECTION 4: First aid measures

### General advice

Show this safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

## SECTION 5: Firefighting measures

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Specific hazards during fire fighting

Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

### Hazardous combustion products

Hydrogen bromide gas Sodium oxides


### Specific extinguishing methods

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### NFPA 704



<input checked="" type="checkbox"/>	HEALTH	1	Exposure would cause irritation with only minor residual injury (e.g. <a href="#">acetone</a> , sodium bromate, potassium chloride)
<input checked="" type="checkbox"/>	FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. <a href="#">mineral oil</a> , ammonia)
<input checked="" type="checkbox"/>	REACT	2	Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, <a href="#">potassium</a> , <a href="#">sodium</a> )
<input type="checkbox"/>	SPEC. HAZ.	OX	

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

---

## SECTION 7: Handling and storage

### **Handling**

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition.

### **Storage**

#### **Further information on storage conditions**

Tightly closed. Keep locked up or in an area accessible only to qualified or authorised persons. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

#### **Storage class**

5.1A, Strongly oxidizing hazardous materials

#### **Recommended storage temperature**

Recommended storage temperature see product label.

---

## SECTION 8: Exposure controls/personal protection

### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

### **Engineering measures**

No data available

### **Personal protective equipment**

#### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Recommended Filter type**

Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

**Skin and body protection**

protective clothing

**Hand protection****Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Full contact

**Manufacturer**

KCL 741 L

**Material**

Nitrile rubber

**Break through time**

480 min

**Glove thickness**

0.11 mm

**Protective index**

Splash contact

**Manufacturer**

KCL 741 L

**Remarks**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

**Information on basic physicochemical properties**

crystalline

---

**Color**

colourless

**Odor**

odourless

**Odor Threshold**

Not applicable

**pH**

neutral Aqueous solution

**Melting point/ range**

381 °C

Decomposition (decomposition): yes

**Boiling point/boiling range**

1390 °C

**Flash point**

Not applicable

**Evaporation rate**

No data available

**Flammability (solid, gas)**

The product is not flammable.

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Upper explosion limit / Upper flammability limit**

Not applicable

**Lower explosion limit / Lower flammability limit**

Not applicable

**Vapor pressure**

1 mm Hg ( 806 °C)

**Relative vapor density**

No data available

**Relative density**

3.339 g/mL at 25 °C (lit.)

**Density**

3.339 g/cm<sup>3</sup> (25 °C)

Method: lit.

**Water solubility**

364 g/l (20 °C)

**Partition coefficient: n-octanol/water**

Not applicable for inorganic substances

**Autoignition temperature**

Not applicable

**Decomposition temperature**

$\geq 381$  °C

**Viscosity, dynamic**

No data available

**Viscosity, kinematic**

No data available

**Flow time**

No data available

**Explosive properties**

Not classified as explosive.

**Oxidizing properties**

May cause fire or explosion; strong oxidizer.

**Molecular weight**

150.89 g/mol

**Particle characteristics Particle size**

No data available

**Solubility**

H<sub>2</sub>O: 1 M at 20 °C, clear, colorless

**Physical state**

Powder/Solid

---

**SECTION 10: Stability and reactivity****Reactivity**

No data available

## Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## Possibility of hazardous reactions

Violent reactions possible with: Reducing agents combustible substances Aluminium ammonium compounds Fluorine carbon Powdered metals sulfur phosphorus arsenic sulfuric acid Sulphides Copper

## Conditions to avoid

no information available

## Incompatible materials

No data available

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - male and female - 157 mg/kg (OECD Test Guideline 401)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Inhalation: No data available

Dermal: No data available

### Skin corrosion/irritation

Remarks: Causes skin irritation.

### Serious eye damage/eye irritation

Eyes - Mammal

Result: Irritating to eyes.

(OECD Test Guideline 437)

### Respiratory or skin sensitization

Human experience

Result: negative

Remarks: (Lit.)

### Germ cell mutagenicity

Test Type: Ames test

Result: negative

Remarks: (HSDB)

### Carcinogenicity

Classified based on available data. For more details, see section 2

### Reproductive toxicity

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

#### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

### **11.2 Additional Information**

RTECS: EF8750000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

We have no description of any toxic symptoms.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

---

## **SECTION 12: Ecological information**

### **Ecotoxicity**

#### **Components:**

##### **sodium bromate:**

#### **Toxicity to fish**

Remarks: No data available

#### **Toxicity to daphnia and other aquatic invertebrates**

EC50 (Daphnia magna (Water flea)): > 100 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: Regulation (EC) No. 440/2008, Annex, C.2 GLP: yes

#### **Toxicity to algae/aquatic plants**

NOEC (Desmodesmus subspicatus (green algae)): 31.6 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method:

OECD Test Guideline 201 GLP: yes

### **Persistence and degradability**

#### **Components:**

##### **sodium bromate:**

#### **Biodegradability**

Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

### **Bioaccumulative potential**

#### **Components:**

##### **sodium bromate:**

#### **Partition coefficient: octanol/water**

Remarks: Not applicable for inorganic substances

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## **SECTION 14: Transport information**

### **International Regulations**

#### **IATA-DGR**

UN/ID No. : UN 1494

Proper shipping name : Sodium bromate

Class : 5.1

Packing group : II

Labels : Division 5.1 - Oxidizing substances

Packing instruction (cargo aircraft) : 562

Packing instruction (passenger aircraft) : 558

#### **IMDG-Code**

UN number : UN 1494

Proper shipping name : SODIUM BROMATE

Class : 5.1

Packing group : II

Labels : 5.1

EmS Code : F-H, S-Q

Marine pollutant : no

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### **National Regulations**

#### **JT/T 617**

UN number : UN 1494

Proper shipping name : SODIUM BROMATE

Class : 5.1

Packing group : II

Labels : 5.1

Environmentally hazardous : no

### **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## **SECTION 15: Regulatory information**

### **National regulatory information**

#### **Regulations on Safety Management of Hazardous Chemicals**

##### **Catalogue of Hazardous Chemicals**

Listed

##### **Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)**

##### **No. / Code Chemical name / Category Threshold quantity**

##### **W9.2 Oxidising solids and liquids 200 t**

##### **Hazardous Chemicals for Priority Management**

Not listed under SAWS

##### **Catalogue of Specially Controlled Hazardous**

Not listed Chemicals

##### **List of Explosive Precursors**

Not listed

##### **Regulations on Labour Protection in Workplaces where Toxic Substances are Used**

##### **Catalogue of Highly Toxic Chemicals**

Not listed

##### **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

##### **China Severely Restricted Toxic Chemicals for Import and Export**

Not listed

##### **Regulation on the Administration of Precursor Chemicals**

## **Catalogue and Classification of Precursor Chemicals**

Not listed

## **Regulations on the Administration of Controlled Chemicals**

### **List of Controlled Chemicals**

Not listed

## **Regulations of Ozone Depleting Substances Management**

### **List of Controlled Ozone Depleting Substances**

Not listed

### **List of Controlled Ozone Depleting Substances Import and Export**

Not listed

## **Environmental Protection Law**

### **List of Priority Controlled Chemicals**

Not listed

### **List of Key Controlled New Pollutants**

Not listed

---

## SECTION 16: Other information

### **Full text of other abbreviations**

AllC - Australian Inventory of Industrial Chemicals

ANTT - National Agency for Transport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN - Standard of the German Institute for Standardisation

DSL - Domestic Substances List (Canada)

EC<sub>x</sub> - Concentration associated with x% response

EL<sub>x</sub> - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and New Chemical Substances (Japan)

ErC<sub>x</sub> - Concentration associated with x% growth rate response

ERG - Emergency Response Guide

GHS - Globally Harmonised System

GLP - Good Laboratory Practice

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 - Half maximal inhibitory concentration

ICAO - International Civil Aviation Organization

IECSC - Inventory of Existing Chemical Substances in China

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organisation

ISHL - Industrial Safety and Health Law (Japan)

ISO - International Organisation for Standardisation

KECI - Korea Existing Chemicals Inventory

LC50 - Lethal Concentration to 50 % of a test population

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)

MARPOL - International Convention for the Prevention of Pollution from Ships

MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods

n.o.s. - Not Otherwise Specified

Nch - Chilean Norm

NO(A)EC - No Observed (Adverse) Effect Concentration

NO(A)EL - No Observed (Adverse) Effect Level

NOELR - No Observable Effect Loading Rate

NOM - Official Mexican Norm

NTP - National Toxicology Program

NZIoC - New Zealand Inventory of Chemicals

OECD - Organisation for Economic Co-operation and Development

OPPTS - Office of Chemical Safety and Pollution Prevention

PBT - Persistent, Bioaccumulative and Toxic substance

PICCS - Philippines Inventory of Chemicals and Chemical Substances

(Q)SAR - (Quantitative) Structure Activity Relationship

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

SADT - Self-Accelerating Decomposition Temperature

SDS - Safety Data Sheet

TCSI - Taiwan Chemical Substance Inventory

TDG - Transportation of Dangerous Goods

TECI - Thailand Existing Chemicals Inventory

TSCA - Toxic Substances Control Act (United States)

UN - United Nations

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

WHMIS - Workplace Hazardous Materials Information System

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.

